

The history of FELISATTI brand includes more than 65 years of presence in the tools market as a respected manufacturer. The products with this label have been popular among masters in Italy and Mediterranean area. Market experts know very well that Felisatti was one of the pioneers in the modern wood processing electrical tools industry. Currently the company has powerful facilities producing wide range of tools that meet any demand not only in wood processing but also in civil construction working with concrete and metal at high professional level.


SD10,8L2

Item No:	177240370
Battery Voltage	V 10.8
Battery Capacity	Ah 1.3
Weight (with Battery)	Kg 0.90
Maximum Torque	Nm 25
Torque Settings	Nr 18+1
Wood Drilling	mm 15
Steel Drilling	mm 10


DC10/14,4L2

Item No:	170250570
Battery Voltage	V 14.4
Battery Capacity	Ah 1.5
Weight (with Battery)	Kg 1.50
Maximum Torque	Nm 30
Torque Settings	Nr 25+1
Wood Drilling	mm 20
Steel Drilling	mm 10


WD14,4IL

Item No:	177240670
Battery Voltage	V 14.4
Battery Capacity	Ah 1.5
Weight (with Battery)	Kg 1.50
Maximum Torque	Nm 230
Impact Rate	Min-1 0-3200
Toll Holder/hex Socket	mm 1/2" (12,7)


CS165/18L

Item No:	175010170
Battery Voltage	V 18
Battery Type	Li-Lon
Battery Capacity	Ah 2.6
Disc size	mm 165
Disc mounting hole diameter	mm 20
No load speed	min-1 4000
Cutting depth in wood at 90	mm 57
Cutting depth in wood at 45	mm 36
Weight	Kg 3.50


RH26/36CVR

Item No:	178110170
Battery Voltage	V 36
Battery Type	Li-Lon
Battery Capacity	Ah 2.6
Weight (with Battery)	Kg 4.8
Num. of impacts	imp/min 0-5010
Single Impact Energy	J 2.8
Max. Conc. Drilling Cap.	mm 28
Max. Steel Drilling	mm 13


RS135/18L

Item No:	171000170
Battery Voltage	V 18
Battery Type	Li-Lon
Battery Capacity	Ah 2.6
Weight (with Battery)	Kg 4.00
No load speed	min 0-2500
Length of stroke	mm 30
Cut. Depth in wood	mm 135
Cut. Depth in steel	mm 6
Cut. Depth in aluminum	mm 20


JS100/18L

Item No:	175020170
Battery Voltage	V 18
Battery Type	Li-Lon
Battery Capacity	Ah 2.6


D16/850GE

Item No:	130090979
Input Power	w 850
No load speed	min-1 0-1000
Maximum diameter of drilling in	
-metal	mm 13
-wood	mm 35
Weight	kg 2.7


DI22/1200GE2

Item No:	130070579
Input Power	w 1200
No load speed	min-1 0.830
Maximum diameter of drilling in	
-concrete	mm 35
-steel	mm 22
-wood	mm 50
Weight	kg 3.60


DI16/850GE2

Item No:	130080979
Input Power	w 850
No load speed	min-1 0.1100
Maximum diameter of drilling in	
-concrete	mm 18
-steel	mm 16
-wood	mm 35
Weight	kg 3.00


SDF8/700ER

Item No:	137100170
Input Power	w 701
No load speed	min-1 0.4000
torque	Nm 10
Weight	kg 1.82
tool holder cap. inner	mm 6.35


DI13/820GE2

Item No:	130070379
Input Power	w 810
No load speed	min-1 0-13280
impact rate	min-1 0-830/0-2000
Maximum diameter of drilling in	
-steel	mm 13
-wood	mm 35
Weight	kg 2.77



JSF65/550E

Item No:	135530170
Input Power	w 550
Frequency	Hz 50-60
Strokes per minute	min-1 200-2800
Weight	kg 2.00
Cutting Capacity-wood	mm 65



JSF100/650VE

Item No:	135580170
Input Power	w 650
No load speed	min-1 500-3000
Run-out	mm 25
Inclination up to	45
Weight	kg 2.4
Cutting Capacity-wood	mm 100



RSF120/1010E

Item No:	135910170
Input Power	w 1010
Cutting Capacity-wood	mm 250
-non-alloy steel	mm 120
stroke rate at on load	min-1 300-2500
Weight	kg 3.80



JSF100/700E

Item No:	135530370
Input Power	w 705
Voltage and current	V 230
Strokes per minute	min-1 700-3000
Weight	kg 3.00
Cutting Capacity-wood	mm 120



PF102/1100VES

Item No:	135720470
Input Power	w 1100
Planing depth	mm 0-2.5
planing width	mm 102
Rebate planing depth	mm 15
Weight	kg 3.50



RF62/1500VE

Item No:	136060170
Input Power	w 1500
Cutting depth	mm 62
Collet diameter size	mm 8/12
No load speed	min-1 12000/23000
Weight	kg 2.45



RF100/710

Item No:	136230170
Input Power	w 710
Saw blade diameter	mm 100
Working shaft thread	mm M10x1.5
Maximum milling depth	mm 20
Weight	kg 2.80



MTF216/1100T

Item No:	135470170
Input Power	w 1100
No-load speed	min-1 5000
Blade Diameter	mm 216
Blade hole diameter	mm 20 (30)
Weight	kg 9.50



S254/1800

Item No:	135470870
Input Power	w 1800
No-load speed	min-1 4800
Sawing blade diameter	mm 254/30
Weight	kg 14.00



SD10,8L2

Item No:	177240370
Battery Voltage	V 10.8
Battery Capacity	Ah 1.3
Weight (with Battery)	Kg 0.90
Maximum Torque	Nm 25
Torque Settings	Nr 18+1
Wood Drilling	mm 15
Steel Drilling	mm 10



DC10/14,4L2

Item No:	170250570
Battery Voltage	V 14.4
Battery Capacity	Ah 1.5
Weight (with Battery)	Kg 1.50
Maximum Torque	Nm 30
Torque Settings	Nr 25+1
Wood Drilling	mm 20
Steel Drilling	mm 10



DC13/14, 4IL2

Item No:	170250770
Battery Voltage	V 14.4
Battery Capacity	Ah 1.5
Weight (with Battery)	Kg 1.70
Maximum Torque	Nm 65
Torque Settings	Nr 25+1
Wood Drilling	mm 36
Steel Drilling	mm 13



DMF23/1150VSE

Item No:	131120270	
Input Power	w	1150
No load speed	min-1	120-480
Maximum diameter of drilling in		
-steel	mm	23/13
-aluminium	mm	32/16
-wood	mm	60/32
Weight	kg	4.4



T14/4/18L

Item No:	179030170	
Battery Voltage	V	14.4
Battery Capacity	Ah	1.5
Weight (with Battery)	Kg	0.35
Battery Type	Li-Ion	
Run-Time [hr]	hr	10



MD045

Item No:	909810270		
Input Power	w	1000	
No load speed	min-1	170-570	
Max. diameter in steel	mm	45	
Torque	Nm	49	
Weight	kg	13	



RH24/700ER

Item No:	138150170	
Rated power	w	720
Impact energy	j	2.6
Dril. diameter in Conc.	mm	24
Dril. diameter in steel	mm	13
Dril. diameter in wood	mm	24
Weight according EPTA.	kg	2.90



RHF40/1100VERT

Item No:	138130770	
Rated power	w	1100
Impact energy	j	2-7.5
Max drill	mm	40
No load speed	min-1	235-500
No load impact rate	min-1	1350
Weight according EPTA.	kg	6.20



RH45/1100VE

Item No:	138110270	
Rated power	w	1100
Impact energy	j	10
Max drill	mm	45
No load speed	min-1	130-370
No load impact rate	min-1	14-2400
Weight according EPTA.	kg	7.30



HF12,5/1050

Item No:	138130970	
Rated power	w	1050
Impact energy	j	7.5
No load speed	min-1	3500
Tool holder system	SDS Max	
Weight according EPTA.	kg	5.40



RH48/1300VE

Item No:	138110270	
Rated power	w	1350
Impact energy	j	12
No load speed	min-1	200-500
No load impact rate	min-1	1900
Weight according EPTA.	kg	7.50



RH50/1200VE

Item No:	138100270	
Rated power	w	1200
Impact energy	j	14
Max drill	mm	52
No load speed	min-1	130-370
No load impact rate	min-1	1800
Weight according EPTA.	kg	7.60



H18/1500EV

Item No:	138170279		
Rated power	w	1500	
Impact energy	j	18	
No load speed	min-1	1000	
Tool holder system	SDS Max		
Weight according EPTA.	kg	10.70	



MF800VE

Item No:	139270170	
Rated power	w	800
Work shaft thread	ISO	5/8"-16
No load speed	min-1	150-570
Torque	Nm	42
Weight according EPTA.	kg	2.40



MKF1200/VE2

Item No:	139260170	
Rated power	w	1200
Work shaft thread	ISO	5/8"/16
No load speed	min-1	70/250
Torque	Nm	57/27
Weight according EPTA.	kg	6.25



AG115/1000

Item No:	134300579
Input Power	w 1000
No load speed	min-1 10000
Voltage / frequency	V-Hz 230-50
Max. disc diameter	mm 115
Inner disc diameter	mm 22.2
Spindle thread	ISO M14
Weight	kg 2.40



AG115/1200C

Item No:	134370379
Input Power	w 1200
No load speed	min-1 10500
Voltage / frequency	V-Hz 230-50
Max. disc diameter	mm 115
Spindle thread	ISO M14
Weight	kg 2.40



AG125/1400CS

Item No:	1034800100
Input Power	w 1400
No load speed	min-1 10500
Voltage / frequency	V-Hz 230-50
Max. disc diameter	mm 125
Spindle thread	ISO M14
Weight	kg 2.40



AG22/6

Item No:	134180279
Voltage	V 230
Frequency	Hz 50/60
Input Power	W 2200
No-load speed	min-1 6500
Max. disc diameter	mm 230
Weight according EPTA-	kg 5.10



SG6/600CE

Item No:	1321270
Input Power	w 600
No load speed	min-1 4000
Rated voltage	V-Hz 230-50
Max. disc diameter	mm 25
Collet size	mm 6 / 8
Weight	kg 1.50



SD230/2200

Item No:	134110979
Rated voltage	V 230
Rated frequency	Hz 50-60
Rated power	W 2200
No-load speed	min-1 4500
Max. diam.r for diamond	mm 230
Weight according EPTA-	kg 9.80



AG230/2200SI

Item No:	134180479
Input Power	w 2200
No load speed	min-1 6500
Voltage / frequency	V-Hz 230-50
Max. disc diameter	mm 230
Spindle thread	ISO M14
Weight	kg 5.50



AG230/2200S2

Item No:	134180579
Input Power	w 2200
No load speed	min-1 6500
Voltage / frequency	V-Hz 230-50
Max. disc diameter	mm 230
Spindle thread	ISO M14
Weight	kg 5.70



GG6/750

Item No:	132120170
Input Power	w 750
No load speed	min-1 27000
Rated voltage	V-Hz 230-50
Max. disc diameter	mm 25
Collet size	mm 6 / 8
Weight	kg 1.40



APF180/1010E

Item No:	134530470
Input Power	w 1010
No load speed	min-1 800-1800
Polishing disk diameter	mm 180
Spindle thread	ISO M14
Weight	kg 1.90



APF125/1010

Item No:	134530670
Input Power	w 1010
Rated voltage	V-Hz 230-50
Polishing disk diameter	mm 125
Spindle thread	ISO M14
Weight	kg 2.00



AP110/1400SE

Item No:	134550270
Input Power	w 1400
Maximum brush size	mm 110x115x19
Weight	kg 2.00



SCF165/1200

Item No:	135150870
Input Power	w 1200
No load speed	min-1 4700
Saw blade diameter	mm 165
Max./min. set width	mm 2.5
Weight	kg 4.20



APF200/1010E

Item No:	134530170
Input Power	w 1010
No load speed	min-1 800-1800
Torque	Nm 3.8
Plate operating diameter	mm 200
Weight	kg 2.90



APF200/1010LE

Item No:	134530270
Input Power	w 1010
No load speed	min-1 800-1800
Torque	Nm 3.8
Plate operating diameter	mm 200
Weight	kg 3.80



SCF184/1400

Item No:	135280170
Input Power	w 1400
No load speed	rpm 3800
Saw blade diameter	mm 184
Max./min. set width	mm 2.5/2.1
Weight	kg 4.50



SRF305/1800

Item No:	135470670
Input Power	w 1800
No-load speed	min-1 4200
Turn table size	mm 342
Blade	mm/Tpcs 305x30/60T
Weight	kg 34.00



VC25/1400

Item No:	196000570
Rated power	W 1200
Rated voltage	V-Hz 230-50
Container capacity	L 20/16
Maximum under pressure	mbar 248
Weight	Kg 12.70



SCF190/1600S

Item No:	135150270
Input Power	w 1600
No load speed	rpm 4800
Saw blade diameter	mm 190
Max./min. set width	mm 2.5
Weight	kg 5.50



SCF210/1900VES

Item No:	135150470
Input Power	w 1900
No load speed	rpm 2300/5000
Saw blade diameter	mm 210
Max./min. set width	mm 2.5
Weight	kg 5.90



VC50/1400

Item No:	196000670
Rated power	W 1200
Rated voltage	V-Hz 230-50
Container capacity	L 45/43
Maximum under pressure	mbar 248
Weight	Kg 17.70



SDS-MAX CHISELS



DRILL BITS



DIAMOND CUTTING DISC
"TURBO" FOR CONCRETE



POLISHING AND
GRAINING BURSH



MITRE SAW BLADES
FOR ALUMINIUM



MITRE SAW BLADES
FOR WOOD



ABRASIVE METAL
CUTTING DISC



MITRE SAW BLADES
FOR PVC



MITRE SAW BLADES
FOR FRAME



DIAMOND CUTTING DISC
"TURBO" FOR
REINFORCED CONCRETE