

SOMAFIX[®]

COMPANY INTRODUCTION

SOMAFIX BRAND which is founded 1987, is excellent in the power tools, hand tools, air tools and garden tools. We enjoy good reputation for our strong innovation ability.

Our company has put much emphasis upon enterprise management, holding the tenet of "high quality, brand first, credit paramountcy, good development" as our development policy; On the base of the management tenet of "High jump-off point, strict standard, innovation and development", persisting in "same quality, equal price; same price, super quality". With high quality and competitive price, the products have won good reputation and rely from the clients.

We are ready to cooperate with the person of the same industry with the best service and products quality, exploiting new market hand in hand. Holding the tenet of "opening for customers, servicing for customers and offering competitive price for customers", our company is known as competitive price and super quality.

We sincerely welcome all overseas customers to come to our company to visit and instruct, improving technical and business cooperation, negotiating how to friendly cooperation for long-term!



 **SOMAFIX[®]**



READY STOCK



www.somafixtools.com





www.somafixtools.com



SOMAFIX
THE POWER OF DREAMS

SOMAFIX® | www.somafixtools.com

Impact Drill / Cordless Drill / Hot Air Gun / Rotary Hammer / Drill Press



Page 01-12

Angle Grinder / Jig Saw / Electric Planer / Sander / Mitre Saw / Cut off Saw / Bench Grinder / Electric Mixer / Sheep Clipper



Page 14-23

Air tools / Electric hoist / Spray gun / Electric blower / Glue gun / High pressure cleaner



Page 25-32

Welding machine / Battery charger / Water pump / Generator / Lawn mower / Grass trimmer / Chain saw / Tiller



Page 34-46

Screwdriver / Leather hole punch / Voltage tester / Feeler gauge / Aluminium square / Spirit level / Vernier caliper / Hole saw



Page 49-56

Cup brush / Disc / Drill bit / Abrasive paper / Saw blade / Jig saw blade /



Page 59-72

Screwdriver bit / Drill chuck / Paint mixer / Drill stand / Hex key / Wrench / Lever / Gear puller / Jerry can / Magnetic tip



Page 74-84

Spanner set / Socket set / Lug wrench



Page 86-90

Plier / Tower pincer / Hand riveter / Pipe wrench / Bolt cutter



Page 93-101

Pruning shear / Aviation plier / Cable cutter / Knife / Glass cutter / Hand planer set / Hacksaw frame / Saw / Pipe cutter / Tile cutter / Staple gun



Page 103-113

Hammer / Chisel / File / F clamp / Bench vise / Chain block / Heating torch / Jack / Tool box / Spray gun / Caulking gun / Pump



Page 115-127

Tape / Multimeter / Door closer / Nylon trimmer line / Foam tape / Safety tools / Plastic spray gun / Sprayer



Page 129-139



Cordless drill

SFL108



Specification	
Max. drilling dia.	In steel:10mm In wood:20mm
Max. chuck capability	10mm
Max. torque	20N.M
No load speed	300/1000r/min
Battery	1.3Ah Li-Ion
Voltage	10.8V
Charging Time	1hour
Torque settings	20+1

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M*) LxWxH
4	9/8	32.5x32x25.5cm



Cordless drill

SFS12L



Specification	
Max. drilling dia.	In steel:10mm In wood:18mm
Max. chuck capability	10mm
Max. torque	22N.M
No load speed	350/1300r/min
Battery	1.3Ah Li-Ion
Voltage	12V
Charging Time	1hour
Torque settings	19+1

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M*) LxWxH
5	13/12	44x32.5x27cm



Cordless drill

SFL1144

Specification	
Max drilling dia.	In steel:12mm In wood:24mm In aluminium:12mm
Max. chuck capability	10mm
Max. torque	26N.M
No load speed	400/1400r/min
Battery	1.3Ah LI-Ion
Voltage	14.4V
Charging Time	1hour
Torque settings	20+1

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	11.5/10.5	48x31x30cm



Cordless drill

SFS142

Specification	
Max. drilling dia.	In steel:10mm In wood:20mm In aluminium:15mm
Max. chuck capability	10mm
Max. torque	26N.M
No load speed	400/1200r/min
Battery	2.0Ah NI-Cd
Voltage	14.4V
Charging Time	1hour
Torque settings	16+1

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	16/15	47x31x34cm



Battery

SFA142



Suitable for SFS142 cordless drill

2.0Ah 14.4V NI-Cd

Charger

SFSC142



Suitable for SFS142 cordless drill

Battery NI-Cd

Cordless screwdriver

SFS48A

Specification	
Max. torque	2.5N.M
No load speed	200r/min
Voltage	4.8V
Charging Time	3~5 hours
Battery	NI-Cd
46Pcs with plastic box	

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
10	13.3/12.3	47x33x23cm



Cordless screwdriver

SFS48B

Specification	
Max. torque	2.5N.M
No load speed	200r/min
Voltage	4.8V
Charging Time	3~5 hours
Battery	NI-Cd
15Pcs with double blister card	

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
10	8.1/7.3	45x22x30cm



Cordless screwdriver

SFS48C

Specification	
Max. torque	2.5N.M
No load speed	200r/min
Voltage	4.8V
Charging Time	3~5 hours
Battery	NI-Cd
104Pcs with aluminum case	

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
10	16/15	48x36x23cm





Impact drill

SFM710



Specification	
Rated input power	710W
Drilling capacity	13mm
No load speed	0-3000r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
6	15.2/14.2	47.5x34.5x33cm

Impact drill

SFM710B



Specification	
Rated input power	710W
Drilling capacity	13mm
No load speed	0-3000r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
6	15.5/14.5	47.5x33.5x28.5cm

Impact drill

SFIM710



Specification	
Rated input power	710W
Drilling capacity	13mm
No load speed	0-2300r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
5	13.5/12.5	41x35.5x27.5cm

Impact drill

SFIM710A



Specification	
Rated input power	710W
Drilling capacity	13mm
No load speed	0-2300r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
5	13.5/12.5	41x35.5x27.5cm

Impact drill

SFIM900

**Specification**

Rated Input power	900W
Drilling capacity	13mm
No load speed	0-2600r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
5	15.2/14.2	41x35.5x27.5cm

Electric drill

SFDM450

**Specification**

Rated Input power	450W
Drilling capacity	10mm
No load speed	0-2800r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
10	14/12	27.5x36x46cm

Drywall screwdriver

SFIV500

**Specification**

Rated Input power	500W
Screw dia.	M6
No load speed	0-1600r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
5	10.5/9.5	43.5x33x26cm

Hot air gun

SFSH2000

**Specification**

Rated Input power	1000/2000W
Temperature	350/550°C
Air flow	300/500L/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
10	12.4/11.42	51.5x30x43.5cm

Electric drill

SFDM280

**Specification**

Rated Input power	280W
Drilling capacity	10mm
No load speed	0-750r/min
Voltage/Frequency	230~240V/50~60Hz
Torque settings	23+1

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
10	17.3/16.3	51x39x25cm

Electric drill

SFDM280B

**Specification**

Rated Input power	280W
Drilling capacity	10mm
No load speed	0-800r/min
Voltage/Frequency	230~240V/50~60Hz
Torque settings	20+1

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
10	13/12.4	52x37x24cm





Rotary hammer

SFH2680



Specification	
Rated input power	800W
Drilling capacity	26mm
No load speed	0-1150r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	22/20	48x44x30cm

Rotary hammer

SFHL850



Specification	
Rated input power	858W
Drilling capacity	26mm
No load speed	0-750r/min
Impact rate	3700/min
Impact energy	3J
Toolholder	SDS Plus
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
3	21/20	45.5x33.5x36cm

Rotary hammer

SFHLT1050



Specification	
Rated input power	1050W
Drilling capacity	30mm
No load speed	0-800r/min
Impact rate	3000/min
Impact energy	4.2J
Toolholder	SDS Plus
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	16.7/15.9	44.5x27x36.5cm

Rotary hammer

SFHLT1200



Specification	
Rated input power	1200W
Drilling capacity	40mm
No load speed	100-580r/min
Impact rate	650-2600/min
Impact energy	13J
Toolholder	SDS Max
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	30/29	59x30.3x46.4cm

Rotary hammer

SFHLT1250

SDS
Plus


Specification

Rated input power	1250W
Drilling capacity	32mm
No load speed	800r/min
Impact rate	3200/min
Impact energy	4.5J
Toolholder	SDS Plus
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	17/16	47.5x30.5x36.5cm

Rotary hammer

SFRH40

SDS
Max


Specification

Rated input power	1250W
Drilling capacity	40mm
No load speed	450r/min
Impact rate	2800/min
Impact energy	10J
Toolholder	SDS Max
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	26/25	51.5x30x38cm

Rotary hammer

SFHL1500

SDS
Max


Specification

Rated input power	1500W
Drilling capacity	52mm
No load speed	130-260r/min
Impact rate	1075-2150/min
Impact energy	4.7-18.9J
Toolholder	SDS Max
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	20.5/19.5	69x18.5x49.5cm

Heavy duty gasoline hammer

SFHLT1400



Specification

Rated input power	1400W
Rated speed	4200r/min
Impact rate	1300/min
Impact energy	55J
Toolholder	Square 33.5mm
Drive engine	Air cooled, 2 cycle single cylinder
Fuel type	Petrol-oil mixture 50:1
Fuel consumption	1.8L
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	30.5/28.5	88x52.5x41cm

Rotary hammer

SFHLT1500

SDS
Max


Specification

Rated input power	1500W
Drilling capacity	52mm
No load speed	100-300r/min
Impact rate	1000-2100/min
Impact energy	18J
Toolholder	SDS Max
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	18.5/17.5	74x17.5x43cm

Demolition hammer

SFHL1100

SDS
Max


Specification

Rated input power	1100W
Impact rate	1100-2650/min
Impact energy	3-11J
Toolholder	SDS Max
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	18.5/17.5	48.5x24.5x35.5cm

Drill press

SFYM13500



Specification

Rated input power	350W
Drilling capacity	13mm
Spindle speed	5 speeds
Table size	160x160mm
Spindle travel	50mm
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	20/19	46.5x35x26.5cm

Drill press

SFYM16500



Specification

Rated input power	500W
Drilling capacity	16mm
Spindle speed	12 speeds
Table size	200x200mm
Spindle travel	50mm
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	43/39.5	71.2x43x31.5cm



Angle grinder

SFIS115



Specification	
Rated Input power	710W
Diameter	115mm
No load speed	0-11000r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
6	14/13.4	45x34x26cm

Angle grinder

SFS115850



Specification	
Rated Input power	850W
Diameter	115mm
No load speed	0-12000r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
6	14.5/13.5	45.5x38.3x28cm

Angle grinder

SFS115110



Specification	
Rated Input power	1100W
Diameter	115mm
No load speed	0-12000r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
6	15.5/14.5	45.5x38.3x28cm

Angle grinder

SFIS125



Specification	
Rated Input power	950W
Diameter	125mm
No load speed	0-10000r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
6	17/16.2	48x35x28cm

Angle grinder

SFS125910



Specification	
Rated input power	910W
Diameter	125mm
No load speed	0-12000r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
6	16.5/15.5	45.5x42x27cm

Angle grinder

SFS125120



Specification	
Rated input power	1200W
Diameter	125mm
No load speed	3000-8000r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
6	20/19	46.5x46.5x28cm

Angle grinder

SFIS230



Specification	
Rated input power	2200W
Diameter	230mm
No load speed	0-6000r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	14.5/13.8	58x34x15cm

Angle polisher

SFP180150



Specification	
Rated input power	1200W
Diameter	180mm
No load speed	1500-3800r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	14/13	46.5x33.5x28cm

Angle grinder

SFS180200



Specification	
Rated input power	2000W
Diameter	180mm
No load speed	0-6500r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	12.65/11.65	58.5x28x18cm

Angle grinder

SFS230220



Specification	
Rated input power	2200W
Diameter	230mm
No load speed	0-6500r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	12.65/11.65	58.5x28x18cm

Die grinder

SFK135A



Specification	
Rated input power	135W
Carving frequency	10000-35000r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
10	12.8/11.8	45x31x38cm

Die grinder

SFK135B



Specification	
Rated input power	135W
Carving frequency	10000-35000r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
10	13.1/12.1	45x31x38cm




Jig saw
SFDT400



Specification	
Rated Input power	400W
Max. cutting cap	In wood:55mm In steel:6mm
No load speed	500-3000r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
5	10/9	40x31x25.5cm

Jig saw
SFDT600



Specification	
Rated Input power	600W
Max. cutting cap	In wood:65mm In steel:8mm
No load speed	500-3000r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
5	12.5/11.5	44x33x26cm

Jig saw
SFDT810



Specification	
Rated input power	810W
Max. cutting cap	In wood:110mm In steel:8mm
No load speed	600-3000r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
5	16.5/15.5	44.5x32x26cm

Reciprocating saw
SFTS15650



Specification	
Rated input power	650W
Max. cutting cap	In wood:115mm In steel:10mm
No load speed	800-3000r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
5	16.8/15.8	48.5x43x20cm

Circular saw

SFSK185

**Specification**

Rated Input power	1200W
Cutting Capacity	63mm /90° 40mm/45°
No load speed	0-4500r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	9.3/8.8	49.2x33.5x27.5cm

Circular saw

SFSK210

**Specification**

Rated Input power	1800W
Cutting Capacity	70mm /90° 48mm/45°
No load speed	0-4500r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	12.6/11.8	55x38.5x30cm

Mitre saw

SFGK1400

**Specification**

Rated Input power	1400W
Max. Cutting Capacity	120x55mm
Blade diameter	210mm
No load speed	0-5500r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	8/6.9	47.5x36.5x33cm

Mitre saw

SFGK1800

**Specification**

Rated Input power	1800W
Max. Cutting Capacity	140x70mm
Blade diameter	255mm
No load speed	0-5500r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	25/21	72x51.5x46.5cm

Electric planer

SFPL710

**Specification**

Max. planing width	82mm
Max. planing depth	2mm
Rated Input power	710W
No load speed	0-16000r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	12/11.2	36x32.5x34.5cm

Sander

SFT280W

**Specification**

Rated Input power	280W
Pad size	115x230mm
No load speed	7000-12000r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	10.6/10	59x36x22cm

Mitre saw

SFGK1600A



Induction Motor

45° Adjustable

**Specification**

Rated Input power	1600W
Max. Cutting Capacity	120x55mm
Blade diameter	305mm
No load speed	2800r/min
Voltage/Frequency	230~240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	16/12.5	61x48.5x44cm

Mitre saw-table saw

SFGY1200



Specification

Rated input power	1200W
Blade dimension	Φ210xΦ30mmx24t
Max. saw width 90°/45°	120x55mm/65x55mm
Max. saw width 2x45°	40x25mm
No load speed	0-4500r/min
Table cutting capacity	30mm
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	10/9	42x40x31cm

Mitre saw-table saw

SFGY1800



Specification

Rated input power	1800W
Blade dimension	Φ250xΦ30mmx36t
Max. saw width 90°/45°	135x75mm/90x75mm
Max. saw width 2x45°	90x52mm
No load speed	0-4500r/min
Table cutting capacity	40mm
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	17.8/15.6	54.5x54.5x38cm

Bench grinder

SFTM125



Specification

Rated input power	150W
Wheel size	Φ125x16xΦ12.7mm
No load speed	0-2950r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	5.5/5	28.5x18.5x20.5cm

Bench grinder

SFTM150



Specification

Rated input power	150W
Wheel size	Φ150x16xΦ12.7mm
No load speed	0-2950r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	6.5/6	29.5x20.5x20.5cm

Cut-off saw

SFKS2000



Specification

Rated input power	2000W
Max. cutting dia.	Φ95MM
Max. cutting square	90x90mm
Max. cutting rectangle	175x85mm
Wheel Diameter	355mm
No load speed	0-3800r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	12.5/11.5	52.5x29x41.5cm

Cut-off saw

SFKS2400



Specification

Rated input power	2400W
Max. cutting dia.	Φ120MM
Max. cutting square	110x110mm
Max. cutting rectangle	190x90mm
Wheel Diameter	355mm
No load speed	0-3800r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	18.5/17.5	53x34.5x43cm

Bench grinder

SFTM175



Specification

Rated input power	350W
Wheel size	Φ175x20xΦ16mm
No load speed	0-2950r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	11.5/10.5	39x24.2x28cm

Bench grinder

SFTM200



Specification

Rated input power	350W
Wheel size	Φ200x20xΦ16mm
No load speed	0-2950r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	13/12	40x26.5x28.5cm

Wet/dry bench grinder

SFSM200



Specification

Rated input power	200W
Wheel size	Φ150x20xΦ12.7mm
Wet wheel size	Φ150x40xΦ20mm
No load speed	0-2950r/min 0-134r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	9.5/8	42.5x26.5x28cm

Bench grinder

SFTM075



Specification

Rated input power	120W
Wheel size	Φ75x20xΦ10mm
No load speed	0-9900r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
6	16/15	40.5x25x32cm

Sheep clipper

SFKK380



Specification

Rated input power	380W
Blade cutting speed	2500SPM
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
5	16/15	54x38x33cm

Electric mixer

SFEK1400



Specification

Rated input power	1400W
Tool fitting / clamp thread	M14 X 2
Mixing paddle (Ø max.)	140mm
Mixture volume	120L
No load speed	0-480r/min 0-800r/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	13/11.5	67x36x22.5cm



Air stapler gun

SF8016S



- *360° exhaust direction
- *Light die cast body aluminum alloy
- *Extremely easy jam clearing design
- *Bottom loading system



Specification

Operate pressure	4-7kg/cm ² (60-100psi)
Load capacity	100 staples

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
10	12/11	50x31x23cm

Brad nailer

SFF50S



- *Contact mode safety system
- *Light die-casting body aluminum alloy
- *Slide loading system
- *Remain nail display available



Specification

Operate pressure	5-7kg/cm ² (75-100psi)
Load capacity	100 nails

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
10	21/20	50x32x29cm

1/2" Air impact wench

SF87650



Specification

Square driver(Inch)	1/2"
Capacity bolt size	M16
Free speed	7000r/min
Max.Torque	680N.M
Overall length	192mm
Air Inlet(PT)	1/4"
Air hose(I.D.)	3/8"
Air pressure	6.3kgs/cm ²

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
6	21/20	43.5x23.5x25cm

3/4" Air impact wench

SF87700



Specification

Square driver(Inch)	3/4"
Capacity bolt size	M21
Free speed	4600r/min
Max.Torque	1200N.M
Overall length	8.66Inch: 220mm
Air Inlet(PT)	1/4"
Air hose(I.D.)	1/2"
Air pressure	6.3kgs/cm ²

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
3	23/22	34.5x32.5x28.5cm

1/2" Air ratchet wench

SF87900



Specification

Square driver(Inch)	1/2"
Capacity bolt size	M13
Free speed	160r/min
Max.Torque	88N.M
Overall length	260mm
Air Inlet(PT)	1/4"
Air hose(I.D.)	3/8"
Air pressure	6.3kgs/cm ²

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
12	16/15	29.5x23x15cm

6" Air sander

SF87956



Specification

Pad	6" 150mm
Air consumption	2.2cfm 62L/min
Free speed	10,000r/min
Air exhaust	rear
Orbit	5mm
Length	7.71" 196mm
Weight	1.91lbs 0.89 kgs
Air pressure	90psi 6.2 bar
Air Inlet	1/4"

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
10	12/10	61x34x22cm

1" Air impact wench

SF89980



Specification

Square driver(Inch)	1"
Capacity bolt size	M32
Free speed	5000r/min
Max.Torque	2400N.M
Overall length	13.39Inch: 340mm
Air Inlet(PT)	1/2"
Air hose(I.D.)	1/2"
Air pressure	6.3kgs/cm ²

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	21/20	42.5x37.5x35.5cm

1" Air impact wench

SF87850



Specification

Square driver(Inch)	1"
Capacity bolt size	M45
Free speed	4000r/min
Max.Torque	2600N.M
Overall length	540mm
Air Inlet(PT)	1/2"
Air hose(I.D.)	1/2"
Air pressure	6.3kgs/cm ²

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	26/25	62x23.5x32cm

Air compressor

SFHK24

24Lt



Specification

Rated input power	2HP/1500W
Tank capacity	24Lt
No load speed	0-2850r/min
Pressure	8 bar/115 psi
Theoretic displacement	198L/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	22.3/20.8	63x28x62cm

Air compressor

SFHK50

50Lt



Specification

Rated input power	2HP/1500W
Tank capacity	50Lt
No load speed	0-2850r/min
Pressure	8 bar/115 psi
Theoretic displacement	198L/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	30.2/28.2	69x32x70cm

High pressure cleaner

SFAY1800



Induction Motor



Specification

Rated Power	1800W
Working pressure	110bar
Max. pressure	165bar
Flow	5.7L/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	19/18	38x34x83cm

High pressure cleaner

SFAY2000



Induction Motor



Specification

Rated Power	2000W
Working pressure	110bar
Max. pressure	165bar
Flow	6L/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	21/20	39x37x85cm

Electric hoist

SFV250



Specification

Rated Power	540W
Rated Capacity	10m/250kg 20m/125kg
Voltage/Frequency	230~240V/50~60Hz
VDE plug, 0.68m Cable, 1.7m control cable	

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	23/21	47x37x16cm

Electric hoist

SFV500



Specification

Rated Power	1020W
Rated Capacity	10m/500kg 20m/250kg
Voltage/Frequency	230~240V/50~60Hz
VDE plug, 0.68m Cable, 1.7m control cable	

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	35/33	52x42x17cm

Electric hoist

SFV800



Specification

Rated Power	1300W
Rated Capacity	10m/800kg 20m/400kg
Voltage/Frequency	230~240V/50~60Hz
VDE plug, 0.68m Cable, 1.7m control cable	

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	39/37	52x45x17cm

Electric hoist

SFV1200



Specification

Rated Power	1800W
Rated Capacity	10m/1200kg 20m/600kg
Voltage/Frequency	230~240V/50~60Hz
VDE plug, 0.68m Cable, 1.7m control cable	

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	32/31	56x25x35cm

Spray gun

SFBT60



Specification	
Rated Power	60W
Nozzle	Φ0.8mm
Paint reservoir	800ml
Max. viscosity	30din/sec
Max. flow	260ml/min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
5	8/7	63x28x27.5cm

HVLP floor based spray gun

SFBT900



Specification	
Rated Power	900W
Nozzle	Φ2.6mm
Paint reservoir	700ml
Max. viscosity	90din/sec
Max. flow	800ml/min
Hose length	1.8m
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	8.8/7.8	58.5x40x29cm



Electric blower

SFUF400



Specification	
Rated Power	400W
No-load Speed	13000r/min
Blowing rate	2.3m ³ /min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
6	9/8	54x36.5x24cm

Electric blower

SFUF450



Specification	
Rated Power	450W
No-load Speed	13000r/min
Blowing rate	2.3m ³ /min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
6	11/9	62x24.5x39cm

Electric blower

SFUF600



Specification	
Rated Power	600W
No-load Speed	13000r/min
Blowing rate	2.8m ³ /min
Voltage/Frequency	230~240V/50~60Hz

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
6	11/9	54.5x28x37cm



Glue gun

SFSTB10

**Specification**

Rated Power	10W
Preheat time	5~7 minutes
Flow of glue	6~8g per minute
Glue stick D.M.	φ7.2
Voltage/Frequency	230~240V/50~60Hz

Box/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
10/40	7.5/6	42x40x32cm

Glue gun

SFSTB40

**Specification**

Rated Power	40W
Preheat time	3~5 minutes
Flow of glue	8~12g per minute
Glue stick D.M.	φ11.2
Voltage/Frequency	230~240V/50~60Hz

Box/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
10/40	13/11	52x46x38cm

Glue gun

SFSTB60

**Specification**

Rated Power	60W
Preheat time	3~5 minutes
Flow of glue	14~16g per minute
Glue stick D.M.	φ11.2
Voltage/Frequency	230~240V/50~60Hz

Box/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
10/40	15/13	59x41x42cm

Glue gun

SFSTB80

**Specification**

Rated Power	80W
Preheat time	3~5 minutes
Flow of glue	14~16g per minute
Glue stick D.M.	φ11.2
Voltage/Frequency	230~240V/50~60Hz

Box/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
10/40	15/13	59x43x38cm

Mini air compressor

SFAK12B

**Specification**

Rated Power	120W
Air flow	30L/min
Max. duty cycle time	20min
Input voltage	DC 12V

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
8	16/15.2	53.5x25x41.5cm

Mini air compressor

SFAK012

**Specification**

Air pressure max.	250psi/18bar
Cylinder diameter	19mm
Input voltage	DC 12V

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
20	13/12	50x30x37.5cm

Auto air compressor

SFAK12A

**Specification**

Rated Power	120W
Air flow	30L/min
Max. duty cycle time	20min
Input voltage	DC 12V

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
8	16/15.2	48.5x22.5x40cm

Auto air compressor

SFAK250

**Specification**

Rated Power	250W
Air flow	45L/min
Max. duty cycle time	30min
Input voltage	DC 12V

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	12.8/12	62.5x32.5x21cm



Welding machine

Specification			
Item No.	SFKM160	SFKM180	SFKM200
Input voltage	1PAC 220V±15%	1PAC 220V±15%	1PAC 220V±15%
No-load voltage	70V	70V	70V
Frequency	50/60Hz	50/60Hz	50/60Hz
Rated output current/voltage	160A/26.4V	180A/27.2V	200A/27.2V
Output current range	20-160A	20-180A	20-200A
Rated duty cycle	35%	35%	35%
Rated input current	32A	39A	39A
Rated input capacity	7.3KVA	8.7KVA	8.7KVA
Refficiency	0.85	0.85	0.85
CosΦ	0.99	0.99	0.99
Insulation class	H	H	H
Protection class	IP21S	IP21S	IP21S
Electrode	1.6-4.0mm	1.6-5.0mm	1.6-5.0mm

Item No.	Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³)
			LxWxH
SFKM160	1	6.1/4	37x22.5x27.8cm
SFKM180	1	7.2/5.1	37x22.5x27.8cm
SFKM200	1	7.4/5	38x22.5x27.8cm



Welding machine

SFKMA160



Specification	
Input voltage	1P 220V±15%
No-load voltage	72V
Frequency	50/60Hz
Rated output current/voltage	TIG:160A/16.4V
Output current range	TIG:10-160A
Rated duty cycle	35%
Rated input current	TIG:23A
Rated input capacity	TIG:5.31KVA
Refficiency	0.85
CosΦ	0.99
Insulation class	H
Protection class	IP21S

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³)
		LxWxH
1	8.8/5.2	40.2x20.5x32.2cm



Welding machine

SFKMA200



Specification	
Input voltage	1P 220V±15%
No-load voltage	62V
Frequency	50/60Hz
Rated output current/voltage	TIG:210A/18.4V
Output current range	TIG:5-210A
Rated duty cycle	35%
Rated input current	TIG:42
Rated input capacity	TIG:9.2KVA
Refficiency	0.85
CosΦ	0.99
Insulation class	H
Protection class	IP21S

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	12/8.5	45x26.5x33.5cm



Welding machine



Item No.	Specification			
	SFKYM160	SFKYM180	SFKYM200	SFKYM250
Input voltage	230V	230/400V	230/400V	230/400V
No-load voltage	48V	48V	48V	48V
Frequency	50Hz	50Hz	50Hz	50Hz
Welding current range	55-160A	60-180A	60-200A	60-250A
Rated duty cycle Amp	160-10%	180-10%	200-10%	250-10%
Insulation class	H	H	H	H
Protection class	IP21S	IP21S	IP21S	IP21S
Electrode	2-4mm	2-4mm	2-4mm	2-5mm

Item No.	Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
SFKYM160	1	18.85/17.85	47x26.5x31.5cm
SFKYM180	1	20.3/19.3	47x26.5x31.5cm
SFKYM200	1	21.65/20.65	47x26.5x31.5cm
SFKYM250	1	26.15/25.15	51x26.5x31.5cm



Battery charger

SFAC5

- Car / motorcycle battery charger
- Convenient carrying

Specification	
Input voltage	230V
DC output	12V/3.5A
Power	65W
Max.Output	5A

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
6	16/13.5	61x26x27cm



Battery charger

SFAC8

- Car / motorcycle battery charger
- Convenient carrying

Specification	
Input voltage	230V
DC output	6V/5.6A 6V/0.55A, 12V/4.6A,6V/0.8A
Power	84W
Max.Output	8A

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
6	16/14	61x26x27cm



Battery charger

SFAC12

- Car / motorcycle battery charger
- Convenient carrying

Specification	
Input voltage	230V
DC output	12V/8A
Power	143W
Max.Output	12A

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	15/12.8	41x26x27cm



Gasoline water pump

SFBP17



Specification	
Inlet & outlet inside dia.	38mm(1.5 inch)
Pump lift	17.8m
Suction height	7m
Max.capacity	20m ³ /hr
Engine	2.4HP
Engine type	4 stroke, single cylinder
Displacement	80.7cc
Max. power output	(2.4HP)1.7kw
Ignition system	Transistor magneto
Starting system	Recoil
Engine oil capacity	0.37L
Fuel capacity	1.6L
Min.fuel consumption	290g/kw.h



Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	20/18	48.5x38x40.5cm

Gasoline water pump

SFBP23



Specification	
Inlet & outlet inside dia.	50mm(2 inch)
Pump lift	23m
Suction height	7m
Max.capacity	30m ³ /hr
Engine	5.5HP
Engine type	4 stroke, single cylinder
Displacement	163cc
Max. power output	(5.5HP)4.1kw
Ignition system	Transistor magneto
Starting system	Recoil
Engine oil capacity	0.6L
Fuel capacity	3.6L
Min.fuel consumption	360g/kw.h



Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	25/23	48.5x38x40.5cm

Gasoline water pump

SFBP28

Specification	
Inlet & outlet inside dia.	80mm(3 inch)
Pump lift	28m
Suction height	7m
Max.capacity	30m ³ /hr
Engine	5.5HP
Engine type	4 stroke, single cylinder
Displacement	163cc
Max. power output	(5.5HP)4.1kw
Ignition system	Transistor magneto
Starting system	Recoil
Engine oil capacity	0.6L
Fuel capacity	3.6L
Min.fuel consumption	360g/kw.h

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	27/25	52x38x45cm



Gasoline water pump

SFBP65

Specification	
Inlet & outlet inside dia.	50mm(2 inch)
Pump lift	65m
Suction height	7m
Max.capacity	30m ³ /hr
Engine	5.5HP
Engine type	4 stroke, single cylinder
Displacement	163cc
Max. power output	(5.5HP)4.1kw
Ignition system	Transistor magneto
Starting system	Recoil
Engine oil capacity	0.6L
Fuel capacity	3.6L
Min.fuel consumption	360g/kw.h

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	28/26	52x38x45cm



Mini generator

SFMJ650

Specification	
Rated A.C. output	650W
Max.A.C. output	800W
Rated voltage	220V
A.C. frequency	50Hz
Engine type	Air-cooled,2-stroke,single cylinder
Ignition system	CDI
Starting system	Recoil
Max.output	2.0HP/3600rpm
Fuel tank capacity	4.2L
Continuous operating time	6h

Q'ty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	21/19	37.5x31.5x33.5cm



Gasoline generator

Specification			
Item No.	SFJ22A	SFJ28A	SFJ30A
Rated A.C. output	2.0KW	2.5KW	2.8KW
Max.A.C. output	2.2KW	2.8KW	3.0KW
Rated voltage	220V	220V	220V
A.C. frequency	50Hz	50Hz	50Hz
Engine	5.5HP	6.5HP	7.0HP
Engine type	Air-cooled;4-stroke;OHV,single cylinder		
Ignition system	Transistor magneto		
Starting system	Recoil	Recoil	Recoil
Displacement	163cc	196cc	210cc
Max.output	4.1KW	4.8KW	5.1KW
Fuel tank capacity	15L	15L	15L
Continuous operating time	13h	12h	10h
Min.fuel consumption	360g/kw.h	360g/kw.h	360g/kw.h
Noise level	65dB	67dB	69dB
Lube.oil capacity	0.6L	0.6L	0.6L



Item No.	Q'ty/Ctn(PCS)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
SFJ22A	1	42/40	62.5x44.5x49cm
SFJ28A	1	44/42	62.5x44.5x49cm
SFJ30A	1	46/44	62.5x44.5x49cm

Gasoline generator

Specification			
Item No.	SFJ22B	SFJ28B	SFJ30B
Rated A.C. output	2.0KW	2.5KW	2.8KW
Max.A.C. output	2.2KW	2.8KW	3.0KW
Rated voltage	220V	220V	220V
A.C. frequency	50Hz	50Hz	50Hz
Engine	5.5HP	6.5HP	7.0HP
Engine type	Air-cooled;4-stroke;OHV,single cylinder		
Ignition system	Transistor magneto		
Starting system	Electric	Electric	Electric
Displacement	163cc	196cc	210cc
Max.output	4.1KW	4.8KW	5.1KW
Fuel tank capacity	15L	15L	15L
Continuous operating time	13h	12h	10h
Min.fuel consumption	360g/kw.h	360g/kw.h	360g/kw.h
Noise level	65dB	67dB	69dB
Lube.oil capacity	0.6L	0.6L	0.6L



Item No.	Q'ty/Ctn(PCS)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
SFJ22B	1	46/44	60.5x44.5x45cm
SFJ28B	1	48/46	60.5x44.5x45cm
SFJ30B	1	50/48	60.5x44.5x45cm

Gasoline lawn mower

SFCK018

Specification	
Displacement	139cc
Engine power	2.6KW
No load speed	3600r/min
Cutting height	25-70mm with 7 grades
Cutting width	18"(460mm)
Grass catcher	50L

Q'ty/Ctn(PCS)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	30/26.5	75.5x54x43.5cm



Electric lawn mower

SFCK1200

Specification	
Voltage/Frequency	220~240V/50~60Hz
Power	1200W
No load speed	3600r/min
Cutting height	26/41/56mm
Cutting width	320mm
Grass catcher	30L

Q'ty/Ctn(PCS)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	8/7	59x36x29cm



Lawn mower

SFCK1600

Specification	
Voltage/Frequency	220~240V/50~60Hz
Power	1600W
No load speed	2800r/min
Cutting height	28/38/48/58/68mm
Cutting width	380mm
Grass catcher	50L

Q'ty/Ctn(PCS)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	20.5/18.2	62x52x43cm



Induction
Motor



Electric grass trimmer

SFET400



Specification	
Input power	400W
No load speed	10000r/min
Cutting diameter	30cm
Nylon line	Φ1.4mmx8m
Cable/plug	35cm VDE/VDE plug
Voltage/Frequency	230-240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	13.5/12.5	98x42.5x27cm



Electric grass trimmer

SFET500



Specification	
Input power	500W
No load speed	10000r/min
Cutting diameter	32cm
Nylon line	Φ1.4mmx8m
Cable/plug	35cm VDE/VDE plug
Voltage/Frequency	230-240V/50~60Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	14/13	98x42.5x27cm



Gasoline chain saw

SFAKS45

Specification	
Engine type	Two-stroke, air-cooled
Displacement	45cc
Rated Output power	1.7KW
Oil/gasoline mixing ratio	140
Culder bar size	18"
Max. cutting	450mm

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	8/6.5	46.5x28.5x29.5cm



Gasoline chain saw

SFAKS52

Specification	
Engine type	Two-stroke, air-cooled
Displacement	52cc
Rated Output power	2KW
Oil/gasoline mixing ratio	140
Culder bar size	20"
Max. cutting	450mm

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	8.5/6.5	50x25.2x30.5cm



Chain saw sharpener

SFZB85

Specification	
Voltage/Frequency	230-240V/50~60Hz
Max. speed	4800r/min
Input power	65W
Arbor	7/8"
Includes 4-1/4" x 1/8" grinding wheel	

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	13/12	51x38x36cm



Vortex pump

SMP6060



Specification	
Power	0.37KW 0.5HP
Max.flow	35L/min
Max.head	35m
Inlet outlet	1"x1"
Max.suct	8m
Voltage/Frequency	220V/50Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	22/21.2	30.5x30x36cm

Vortex pump

SMP6061



Specification	
Power	0.37KW 0.5HP
Max.flow	35L/min
Max.head	35m
Inlet outlet	1"x1"
Max.suct	8m
Voltage/Frequency	220V/50Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	21.8/20.8	30x29.5x36cm

Vortex pump

SMP6080



Specification	
Power	0.75KW 1HP
Max.flow	48L/min
Max.head	60m
Inlet outlet	1"x1"
Max.suct	8m
Voltage/Frequency	220V/50Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	20.2/19.2	38x32.5x22.5cm

Centrifugal pump

SMP6158



Specification	
Power	0.75KW 1HP
Max.flow	105L/min
Max.head	28m
Inlet outlet	1"x1"
Max.suct	8m
Voltage/Frequency	220V/50Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
2	25.6/24.6	44x33x29cm

Sel-priming jet pump

SMP6100




Specification	
Power	0.75KW 1HP
Max.flow	60L/min
Max.head	45m
Inlet outlet	1"x1"
Max.suct	9m
Voltage/Frequency	220V/50Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	15.6/14.6	50x20x24cm

Clean water pump

SMW0201




Specification	
Rated power	250W
Max.delivery capacity	5500L/m
Max.pressure	0.6bar
Max.delivery height	6m
Max.submersion depth	5m
Min.water level for operation	7cm
Cut-in height	53cm
Cut-out height	5cm
Voltage/Frequency	230V/50Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	16/15.5	46x34x33cm

Clean water pump

SMW0202




Specification	
Rated power	400W
Max.delivery capacity	8000L/m
Max.pressure	0.7bar
Max.delivery height	7.5m
Max.submersion depth	5m
Min.water level for operation	7cm
Cut-in height	53cm
Cut-out height	5cm
Voltage/Frequency	230V/50Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	17/16.5	46x34x33cm

Dirty water pump

SMW0802




Specification	
Rated power	550W
Max.delivery capacity	11000L/m
Max.pressure	0.7bar
Max.delivery height	7m
Max.submersion depth	8m
Min.water level for operation	7cm
Cut-in height	53cm
Cut-out height	5cm
Voltage/Frequency	230V/50Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	21/20.5	46x38x36cm

Dirty water pump

SMW0803



Specification	
Rated power	750W
Max.delivery capacity	13500L/m
Max.pressure	0.7bar
Max.delivery height	7m
Max.submersion depth	8m
Min.water level for operation	7cm
Cut-in height	53cm
Cut-out height	5cm
Voltage/Frequency	230V/50Hz

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
4	22.5/22	46x34x38cm


Gasoline engine tiller

SFTL1001

Specification	
Engine power	6.5HP
Tilling width	900mm
Tilling depth	150-300mm
Gear shifting	1,0,2,-1
Driving model	belt
Engine model	168FB
Bore x stroke	68x54mm
Displacement	196ml
Max.output hp(kw)/rpm	6.1(4.5)/3600
Rated power hp(kw)/rpm	5.4(4)/3600
Fuel tank capacity	3.6L
Lube capacity	0.6L
Starting model	recoil start

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	86/76	82x45x78cm


Gasoline engine tiller

SFTL1002

Specification	
Engine power	6.5HP
Tilling width	900mm
Tilling depth	150-300mm
Gear shifting	1,0,2,-1
Driving model	belt
Engine model	GX160
Bore x stroke	68x45mm
Displacement	193ml
Max.output hp(kw)/rpm	5.8(4)/3600
Rated power hp(kw)/rpm	5(3.6)/3600
Fuel tank capacity	3.6L
Lube capacity	0.6L
Starting model	recoil start

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	86/76	82x45x78cm


Gasoline engine tiller

SFTL1003

Specification	
Engine power	6.5HP
Tilling width	800-1100mm
Tilling depth	150-300mm
Gear shifting	1,0,2,-1
Driving model	gear
Engine model	168FB
Bore x stroke	68x54mm
Displacement	196ml
Max.output hp(kw)/rpm	6.1(4.5)/3600
Rated power hp(kw)/rpm	5.4(4)/3600
Fuel tank capacity	3.6L
Lube capacity	0.6L
Starting model	recoil start

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	127/117	98x57x76cm


Gasoline engine tiller

SFTL1004

Specification	
Engine power	6.5HP
Tilling width	800-1100mm
Tilling depth	150-300mm
Gear shifting	1,0,2,-1
Driving model	gear
Engine model	GX160
Bore x stroke	68x45mm
Displacement	193ml
Max.output hp(kw)/rpm	5.8(4)/3600
Rated power hp(kw)/rpm	5(3.6)/3600
Fuel tank capacity	3.6L
Lube capacity	0.6L
Starting model	recoil start

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	127/117	98x57x76cm


Diesel engine tiller

SFTL1005

Specification	
Engine power	6HP
Tilling width	800-1300mm
Tilling depth	150-300mm
Gear shifting	1,0,2,-1
Driving model	gear
Engine model	178FE
Bore x stroke	78x62mm
Displacement	296ml
Max.output hp(kw)/rpm	6(4.4)/3600
Rated power hp(kw)/rpm	5.3(4)/3600
Fuel tank capacity	3.5L
Lube capacity	1.1L
Starting model	electric start

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	182/172	100x56x84cm


Diesel engine tiller

SFTL1006

Specification	
Engine power	9HP
Tilling width	800-1300mm
Tilling depth	150-300mm
Gear shifting	1,0,2,-1
Driving model	gear
Engine model	186FE
Bore x stroke	86x72mm
Displacement	418ml
Max.output hp(kw)/rpm	9(6.6)/3600
Rated power hp(kw)/rpm	8.4(6.3)/3600
Fuel tank capacity	5.5L
Lube capacity	1.5L
Starting model	electric start

Qty/Ctn(pcs)	G.W/N.W(kgs)	Carton Size(M ³) LxWxH
1	198/188	100x56x84cm



Phillips screwdriver (Classic)


Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FPH075	PH0 x 75mm	12/96	3.55/2.9	21x19.4x25.7cm
8FPH0100	PH0 x 100mm	12/96	3.74/2.9	21x19.4x25.7cm
8FPH0125	PH0 x 125mm	12/96	3.97/3.15	23.5x19.4x25.7cm
8FPH1100	PH1 x 100mm	12/96	7/5.5	23.7x22x30.5cm
8FPH1150	PH1 x 150mm	12/96	7.83/6.4	28.37x22x30.5cm
8FPH1200	PH1 x 200mm	12/96	8.6/6.4	33.7x22x30.5cm
8FPH245	PH2 x 45mm	12/96	6/4.9	31.5x25.6x17cm
8FPH2125	PH2 x 125mm	12/96	10.6/10.2	27.5x24x31.3cm
8FPH2150	PH2 x 150mm	12/96	12.3/10.9	31x24x31.3cm
8FPH2250	PH2 x 250mm	12/96	14.9/13.2	42x24x31.3cm

Torx screwdriver (Classic)


Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FTX8	T8 x 80mm	12/96	3.64/2.86	21x19.4x25.7cm
8FTX9	T9 x 80mm	12/96	3.63/2.87	21x19.4x25.7cm
8FTX10	T10 x 80mm	12/96	3.6/2.88	21x19.4x25.7cm
8FTX15	T15 x 100mm	12/96	6.96/5.76	23.7x22x30.5cm
8FTX20	T20 x 100mm	12/96	7/6.48	23.7x22x30.5cm
8FTX25	T25 x 100mm	12/96	11/10.05	27.5x24x31.3cm
8FTX27	T27 x 125mm	12/96	11.69/10.63	27.5x24x31.3cm
8FTX30	T30 x 125mm	12/96	11.6/10.67	27.5x24x31.3cm
8FTX40	T40 x 150mm	12/96	17.2/15.4	31.2x27x35.7cm

Slotted screwdriver (Kraft)


Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FKR375	8L3.0 x 75mm	12/96	3.75/3.16	24.3x17.2x20.5cm
8FKR3100	8L3.0 x 100mm	12/96	3.87/3.2	24.3x17.2x20.5cm
8FKR3150	8L3.0 x 150mm	12/96	4.24/3.2	28.7x17.2x20.5cm
8FKR5100	8L5.0 x 100mm	12/96	7.31/6.55	23.5x21.6x25.3cm
8FKR5150	8L5.0 x 150mm	12/96	8.1/7.21	28.5x21.6x25.3cm
8FKR5200	8L5.0 x 200mm	12/96	8.83/7.88	33.5x21.6x25.3cm
8FKR645	8L6.5 x 45mm	12/96	4.83/4.2	28.8x22x14.5cm
8FKR6125	8L6.5 x 125mm	12/96	10.81/9.8	28.5x24x29.7cm
8FKR6150	8L6.5 x 150mm	12/96	11.45/10.51	31x24x29.7cm
8FKR8200	8L8.0 x 200mm	12/96	17.1/15.6	36x25.6x32.5cm

Torx screwdriver (Kraft)


Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FTR8	T8 x 80mm	12/96	3.78/3.09	24.3x17.2x20.5cm
8FTR9	T9 x 80mm	12/96	3.79/3.1	24.3x17.2x20.5cm
8FTR10	T10 x 80mm	12/96	3.78/3.11	24.3x17.2x20.5cm
8FTR15	T15 x 100mm	12/96	7.32/6.6	23.5x21.6x25.3cm
8FTR20	T20 x 100mm	12/96	7.35/6.6	23.5x21.6x25.3cm
8FTR25	T25 x 100mm	12/96	10.15/9.28	26x24x29.7cm
8FTR27	T27 x 125mm	12/96	10.87/9.75	28.5x24x29.7cm
8FTR30	T30 x 125mm	12/96	10.87/9.77	28.5x24x29.7cm
8FTR40	T40 x 150mm	12/96	15.26/14.09	31x25.6x32.5cm

Slotted screwdriver (Classic)


Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBL375	8L3.0 x 75mm	12/96	3.59/2.82	21x19.4x25.7cm
8FBL3100	8L3.0 x 100mm	12/96	3.77/3.07	21x19.4x25.7cm
8FBL3125	8L3.0 x 125mm	12/96	3.98/3.15	23.5x19.4x25.7cm
8FBL4100	8L4.0 x 100mm	12/96	6.58/5.2	23.7x22x30.5cm
8FBL4125	8L4.0 x 125mm	12/96	6.84/5.43	26.2x22x30.5cm
8FBL5100	8L5.0 x 100mm	12/96	6.94/5.75	23.7x22x30.5cm
8FBL5150	8L5.0 x 150mm	12/96	7.8/6.78	28.7x22x30.5cm
8FBL5200	8L5.0 x 200mm	12/96	8.6/7.07	33.7x22x30.5cm
8FBL645	8L6.5 x 45mm	12/96	6/4.9	31.5x25.6x17cm
8FBL6125	8L6.5 x 125mm	12/96	11.6/10.2	27.5x24x31.3cm
8FBL6150	8L6.5 x 150mm	12/96	12.3/10.9	31x24x31.3cm
8FBL6200	8L6.5 x 200mm	12/96	13.5/11.5	37x24x31.3cm

Phillips screwdriver (Kraft)


Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FKR075	PH0 x 75mm	12/96	3.77/3.2	24.3x17.2x20.5cm
8FKR0100	PH0 x 100mm	12/96	3.87/3.2	24.3x17.2x20.5cm
8FKR0150	PH0 x 150mm	12/96	4.26/3.2	28.7x17.2x20.5cm
8FKR175	PH1 x 75mm	12/96	7/6.08	23.5x21.6x25.3cm
8FKR1100	PH1 x 100mm	12/96	7.33/6.56	23.5x21.6x25.3cm
8FKR1150	PH1 x 150mm	12/96	8.11/7.3	28.5x21.6x25.3cm
8FKR1200	PH1 x 200mm	12/96	8.89/7.9	33.5x21.6x25.3cm
8FKR245	PH2 x 45mm	12/96	4.87/4.2	28.8x22x14.5cm
8FKR2100	PH2 x 100mm	12/96	10.17/9.1	26x24x29.7cm
8FKR2125	PH2 x 125mm	12/96	10.85/9.8	28.5x24x29.7cm
8FKR2150	PH2 x 150mm	12/96	11.5/10.4	31x24x29.7cm
8FKR2200	PH2 x 200mm	12/96	12.79/11.5	36x24x29.7cm

Slotted insulated screwdriver


Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FET3100	8L3.0 x 100mm	12/96	6/4.5	23.7x22x30.5cm
8FET5125	8L5.0 x 125mm	12/96	7.7/6.5	26.2x22x30.5cm
8FET6150	8L6.5 x 150mm	12/96	12.5/10.9	31x24x31.3cm

Phillips insulated screwdriver


Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FET075	PH0 x 75mm	12/96	6/4.5	23.7x22x30.5cm
8FET1100	PH1 x 100mm	12/96	7.2/4.5	23.7x22x30.5cm
8FET2100	PH2 x 100mm	12/96	11/9.6	27.5x24x31.3cm

5 PCS Torx screwdriver set (Classic)

- T20x100mm
- T25x100mm
- T27x125mm
- T30x125mm
- T40x150mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FTT5	12/24	17.6/13.31	63x36.2x31cm

7 PCS Slotted&phillips screwdriver set (Classic)

- 3.0x100mm
- 5.0x125mm
- 5.0x150mm
- 6.5x150mm
- PH0x75mm
- PH1x125mm
- PH2x125mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FTT7	12/24	16/11.83	63x36.2x31cm

7 PCS Slotted&phillips insulated screwdriver set

- 3.0x100mm
- 5.0x125mm
- 6.5x150mm
- PH0x75mm
- PH1x100mm
- PH2x100mm
- Multifunctional digital tester



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FET7	12/24	16/10.63	63x36.2x31cm

30 In 1 screwdriver hits set

- 9pcs Torx:T4,T5,T6,T7,T8,T9,T10,T15,T20
- 7pcs Slotted:1.0,1.5,2.0,2.5,3.0,3.5,4.0mm
- 4pcs Phillips:PH000,PH00,PH0,PH1
- 8pcs Hex:0.7-0.9-1.3-1.5-2.0-2.5-3.0-4.0mm
- 2pcs Pozdriv:P20,PZ1
- 1pc bits holder
- 1pc screwdriver handle



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FT8030	10/40	10.5/9.5	43x31x27.5cm

6 PCS Torx PVC Screwdriver set (Kraft)

- T15x100mm
- T20x100mm
- T25x100mm
- T27x125mm
- T30x125mm
- T40x150mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FK86	12/24	18.3/14.03	63x36.2x31cm

7 PCS Slotted&phillips PVC screwdriver set (Kraft)

- 3.0x75mm
- 5.0x100mm
- 6.5x125mm
- 6.5x150mm
- 8.0x150mm
- PH1x75mm
- PH2x100mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FK87	12/24	19.08/14.76	63x36.2x31cm

31 PCS Ratchet screwdriver set

- 1pc Ratchet screwdriver
- 28pcs Bits:25L
- 2pcs Precision screwdriver: Phillips #00x50mm, Slotted 2.0x50mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FB831	12/36	18/17	34.5x29.5x44.5cm

32 PCS Ratchet screwdriver set

- 1pc Ratchet screwdriver
- 20pcs Bits:6.35x25mm
- 1pc ADP
- 9pcs 1/4" Sockets
- 1pc 4-IN-1 Screwdriver



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FB832	12/36	17/16	34.5x29.5x44.5cm

33 PGS Ratchet screwdriver set

1pc Ratchet screwdriver
1pc 4-IN-1 Screwdriver
20pcs Bits: 6.35x25mm
1pc ADP
10pcs Nut driver bits



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FB033	12/36	17/16	34.5x29.5x44.5cm

35 PGS Ratchet screwdriver set

1pc Pivot-a-bit magnetic adaptor
1pc Reversible ratchet
16pcs Chrome vanadium steel bits:
-4pcs Slotted: 3.5, 4.5, 5.5, 6.5mm
-4pcs Phillips: PH0, PH1, PH2, PH3
-4pcs Pozidriv: PZ0, PZ1, PZ2, PZ3
-3pcs Hex: H4, H5, H6
-1pc Adaptor
12pcs 1/4 driver sockets: 5, 6x2, 7x2, 8, 9x2, 10x2, 11, 13
2pcs Removeable bit cassettes
1pc Bit holder
2pcs Sockets holder



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FB035	12/36	18.5/17.5	34.5x29.5x53.5cm

Leather hole punch

Punch hole size: 2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, 5mm



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FKD11	6/48	15/14	53x31.5x34.5cm

Leather hole punch & grommet setting tool kit

Punch hole size: 2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, 5mm with 100pcs shoe and belt grommets



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FKD22	6/24	13.6/12.6	65x51x21.5cm

6 In 1 stubby screwdriver

● Slotted: 2 mm
● Phillips: PH000, PH00, PH3
● Torx: T5, T6, T8
Color: Yellow, Orange, Blue



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FT61	60/120	6/5	29x27x20cm

2 In 1 modular telephone plug crimper



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBP21	8/32	14/13	48x44.5x32.5cm

Leather hole punch & Grommet setting tool kit

Punch hole size: 2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, 5mm with 100pcs shoe or belt grommets, 50PCS penta-claw button



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FKD33	6/24	16/15	58x54x16cm

Feeler gauge

20 blades, metric: 0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.55, 0.60, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 0.95, 1.00mm



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FCB1	10/100	12/11	41x38x30cm

Automotive circuit tester

6-24V DC



Item No.	Length	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFKK20	100mm	60/240	11/9	42x40x30cm

Automotive circuit tester

6-24V DC



Item No.	Length	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFKK21	100mm	60/240	11/9	42x40x30cm

Mini voltage tester

100-500V AC



Item No.	Length	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFKK145	145mm	24/480	13.5/8.3	44x34x36cm

Automotive circuit tester

6-24V DC



Item No.	Length	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFKK22	140mm	12/120	14/13	36x23x67cm

Voltage tester

100-500V AC



Item No.	Length	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFKK190	190mm	24/480	21.8/15	52x36.8x37.5cm

Digital voltage tester

12-220V AC



Item No.	Length	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFKK133	133mm	12/96	6.6/5.15	43x37.5x27cm

Spirit level

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFMT40	40cm	10/50	16/15	43x32.5x25.5cm
BFMT50	50cm	10/50	19/18	53x32.5x25.5cm
BFMT60	60cm	10/40	18/17	63x26.5x25.5cm
BFMT80	80cm	10/30	17/16	83x20x26.5cm
BFMT100	100cm	10/20	14.5/13.5	103x26.5x14cm
BFMT120	120cm	10/20	17/16	123x26.5x14cm



Vernier caliper



Item No.	Range	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFKU150	0-150mm	10/50	14/13	49x26x24cm

Aluminium square



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFG25	25cm	10/100	17/16	34x28.5x44cm
BFG30	30cm	10/100	21.5/20.5	34x33x44cm
BFG35	35cm	6/60	13/12	45.5x38.5x29.5cm
BFG40	40cm	6/60	16/15	46x43.5x29.5cm

Adjustable hole saw



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFDD88	30-100mm	25/150	19/18	42x28x47.5cm





SOMAFIX[®]

SFAL21060

FOR USE ON
ALUMINIUM



Wire crimped cup brush



Knot wire cup brush



Item No.	Size	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FBF65	65mm x M14	80	13/11	38x31x28.5cm
8FBF75	75mm x M14	80	16/14	42x34x31cm
8FBF80	80mm x M14	60	14/12	46x36x23.5cm
8FBF100	100mm x M14	40	15/13	54x52x34cm
8FBF125	125mm x M14	30	19/17	64x26.5x29.5cm

Item No.	Size	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FCF65	65mm x M14	80	17/15	38x31x28.5cm
8FCF75	75mm x M14	60	17/15	42x34x23.5cm
8FCF100	100mm x M14	40	19/17	54x22x34cm
8FCF125	125mm x M14	30	21/19	47x26x39cm

Wire cup brush with shank



Wire wheel brush



Item No.	Size	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FPF50	50mm	12/120	10/8	43x34x30cm
8FPF63	63mm	12/120	12/10	53x34x36cm
8FPF75	75mm	12/60	9/7	53x34x18.5cm

Item No.	Size	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FDF125	125mm	60	19/17	42x28x35.5cm
8FDF150	150mm	40	20/18	34x34x38cm
8FDF175	175mm	30	22/20	58x20x39cm
8FDF200	200mm	20	19/17	43x22x39cm

Wire end brush with shank



Handle brush



Item No.	Size	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FKF24	24mm(1")	25/200	12/10	56x34x25cm

Item No.	Size	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FTF012	250mm(10")	12/120	16/14	34x28x44.5cm

Aluminium oxide flap disc



Aluminium oxide flap disc



Item No.	Size	Grit	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FD1536	115x22mm	P36	20/100	9/8	61x26x13cm
8FD1540	115x22mm	P40	20/100	9/8	61x26x13cm
8FD1560	115x22mm	P60	20/100	9/8	61x26x13cm
8FD1580	115x22mm	P80	20/100	9/8	61x26x13cm
8FD15100	115x22mm	P100	20/100	9/8	61x26x13cm
8FD8040	180x22mm	P40	10/80	20/19	36.5x36.5x22cm
8FD8060	180x22mm	P60	10/80	20/19	36.5x36.5x22cm
8FD8080	180x22mm	P80	10/80	20/19	36.5x36.5x22cm
8FD80100	180x22mm	P100	10/80	20/19	36.5x36.5x22cm

Item No.	Size	Grit	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FF3615	115x22mm	P36	20/100	9/8	61x26x13cm
8FF4015	115x22mm	P40	20/100	9/8	61x26x13cm
8FF6015	115x22mm	P60	20/100	9/8	61x26x13cm
8FF8015	115x22mm	P80	20/100	9/8	61x26x13cm
8FF10015	115x22mm	P100	20/100	9/8	61x26x13cm
8FF4080	180x22mm	P40	10/80	20/19	36.5x36.5x22cm
8FF6080	180x22mm	P60	10/80	20/19	36.5x36.5x22cm
8FF8080	180x22mm	P80	10/80	20/19	36.5x36.5x22cm
8FF10080	180x22mm	P100	10/80	20/19	36.5x36.5x22cm

Superflex disc



Waterproof abrasive paper



Item No.	Size	Grit	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FD21536	115x22mm	P36	10/200	14/12	26x26x43cm
8FD21580	115x22mm	P80	10/200	14/12	26x26x43cm
8FD28036	180x22mm	P36	10/100	16/14	39x20x43cm
8FD28080	180x22mm	P80	10/100	16/14	39x20x43cm

Item No.	Grit	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8F8Z60	P60	1000	30/29	48x29x39cm
8F8Z80	P80	1000	28/27	48x29x34cm
8F8Z120	P120	1000	25/24	48x29x24cm
8F8Z180	P180	1000	22/21	48x29x20cm
8F8Z240	P240	1000	21/20	48x29x18cm
8F8Z320	P320	1000	19/18	29.5x24.5x30cm
8F8Z400	P400	1000	17/16	29.5x24.5x28cm
8F8Z600	P600	1000	16/15	29.5x24.5x26cm

Cutting disc inox



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BF50115	115x1.0x22.2mm	50/400	10/9	34.5x26x13.5cm
BF50180	180x1.6x22.2mm	25/200	18/17	39x22.5x20cm
BF23019	230x1.9x22.2mm	25/100	20/19	30.5x25x25cm

Cutting disc



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BF60115	115x2.5x22.2mm	25/200	13/12	34.5x26x13.5cm
BF40180	180x3x22.2mm	10/100	18/17	39x28x20cm
BF50230	230x2.5x22.2mm	10/50	12/11	28x25x25cm

Grinding wheel



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BF70115	115x6.4x22.2mm	25/100	16/15	42x26x13.5cm
BF70180	180x8.0x22.2mm	10/30	14/13	33.5x20x20cm

Velcro disc without hole



Item No.	Size	Grif	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FCZ11540	115mm	P40	100/1000	9/8	65.5x26.5x14cm
8FCZ11560	115mm	P60	100/1000	9/8	65.5x26.5x14cm
8FCZ11580	115mm	P80	100/1000	9/8	65.5x26.5x14cm
8FCZ115100	115mm	P100	100/1000	9/8	65.5x26.5x14cm
8FCZ115120	115mm	P120	100/1000	9/8	65.5x26.5x14cm
8FCZ115150	115mm	P150	100/1000	9/8	65.5x26.5x14cm
8FCZ115180	115mm	P180	100/1000	9/8	65.5x26.5x14cm
8FCZ115220	115mm	P220	100/1000	9/8	65.5x26.5x14cm
8FCZ18040	180mm	P40	100/1000	18/17	58.5x37.5x19.5cm
8FCZ18060	180mm	P60	100/1000	18/17	58.5x37.5x19.5cm
8FCZ18080	180mm	P80	100/1000	18/17	58.5x37.5x19.5cm
8FCZ180100	180mm	P100	100/1000	18/17	58.5x37.5x19.5cm
8FCZ180120	180mm	P120	100/1000	18/17	58.5x37.5x19.5cm
8FCZ180150	180mm	P150	100/1000	18/17	58.5x37.5x19.5cm
8FCZ180180	180mm	P180	100/1000	18/17	58.5x37.5x19.5cm
8FCZ180220	180mm	P220	100/1000	18/17	58.5x37.5x19.5cm



TGT saw blade for wood cutting



Item No.	Diameter	Teeth number	Arbor (mm)	Reduction ring (mm)	Max RPM	Application	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBK11530	115mm 4-1/2"	30T	22.2	16	13300	wood cutting, angle grinder	100	12.5/11.5	53x27x17cm
8FBK16024	160mm 6-1/4"	24T	16	N.A.	9500	wood cutting, circular saw	50	13.5/12.5	36x22x31cm
8FBK18524	185mm 7-1/4"	24T	16	N.A.	8200	wood cutting, circular saw	50	18/17	41x25x31cm
8FBK18540	185mm 7-1/4"	40T	16	N.A.	8200	wood cutting, circular saw	50	19/18	41x25x31cm
8FBK18560	185mm 7-1/4"	60T	16	N.A.	8200	wood cutting, circular saw	50	19/18	41x25x31cm
8FBK19040	190mm 7-1/2"	40T	20	16	8000	wood cutting, circular saw	50	19.5/18.5	41x25x31cm
8FBK21060	210mm 8-1/4"	60T	30	25.4;16	7200	wood cutting, mitre saw	25	13/12	27x24x31cm
8FBK25460	254mm 10"	60T	30	25.4;16	6000	wood cutting, table saw	25	21.3/20.3	32x28x31cm
8FBK25480	254mm 10"	80T	30	25.4;16	6000	wood cutting, table saw	25	21.3/20.3	32x28x31cm

TGT saw blade for aluminum cutting



Item No.	Diameter	Teeth number	Arbor (mm)	Reduction ring (mm)	Max RPM	Application	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FAL21060	210mm 8-1/4"	60T	30	25.4;16	7200	aluminum cutting, mitre saw	25	13/12	27x24x31cm
8FAL21080	210mm 8-1/4"	80T	30	25.4;16	7200	aluminum cutting, mitre saw	25	13/12	27x24x31cm
8FAL25480	254mm 10"	80T	30	25.4;16	6000	aluminum cutting, mitre saw	25	21.3/20.3	32x28x31cm
8FAL30510	305mm 12"	100T	30	25.4;16	5000	aluminum cutting, mitre saw	10	13.8/12.8	36x33x16cm

Diamond saw blade



Dry cutting

Using for: Granite, Marble, Concrete, Brick, General Building Materials

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FDD115	115X1.9X22.2mm	10/100	13.5/12	60x27.5x15cm
8FDD180	180x2.2x22.2mm	10/50	19.8/17	40x32x21cm
8FDD230	230x2.4x22.2mm	5/25	17.5/15.8	29x26x26cm

Diamond saw blade



Dry cutting

Using for: Granite, Marble, Concrete, Brick, General Building Materials

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F115TD	115x1.9x22.2mm	10/100	11.8/10.5	29x28x16cm
8F180TD	180x2.2x22.2mm	10/50	18.2/16.5	28x22x21.5cm
8F230TD	230x2.4x22.2mm	5/25	16.4/15.4	27x27x16cm

Diamond saw blade (Turbo wave)



Dry cutting

Using for: Granite, Marble, Concrete, Brick, General Building Materials

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FTD115	115X1.9X22.2mm	10/100	12.6/11.5	29x28x16cm
8FTD180	180x2.2x22.2mm	10/50	19/17.5	28x22x21.5cm
8FTD230	230x2.4x22.2mm	5/25	16.8/15.8	27x27x16cm

Diamond saw blade (Continuous rim)



Wet cutting

Using for: Granite, Marble, Ceramic Tile, Brick,

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F8D115	115x1.9x22.2mm	10/100	12.3/11	29x28x16cm
8F8D180	180x2.2x22.2mm	10/50	18.8/17	28x22x21.5cm
8F8D230	230x2.4x22.2mm	5/25	17/16	27x27x16cm

Circular saw blade



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FDT115	115x24Tx22.23T	25/200	17/16	41.5x32x30cm

Grass cutter



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FTA255	255x2.0x25.4mmx40T	25	13.5/12.5	35x30x18cm

Jig saw blade (Wood)



Item No.	Spec.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FDA1	No.3	50/400	15/14	36x36x19cm

Jig saw blade (Wood)



Item No.	Spec.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FDA3	T144D	50/400	17/16	36x36x19cm

Jig saw blade (Wood)



Item No.	Spec.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FDA4	T111C	50/400	17.5/16.5	36x36x19cm

Jig saw blade (Metal)



Item No.	Spec.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FDA5	T118A	50/400	13/12	36x36x19cm

Jig saw blade (Metal)



Item No.	Spec.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FDA6	T318A	50/200	13/12	40x16x25cm

Jig saw blade (Wood)



Item No.	Spec.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FDA7	T344D	50/200	14/13	40x16x25cm

5 PCS Sabre saw blade set



Ideal for Coarse, fast cuts in wood
(tree cutting and pruning)



Item No.	Size	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FKT1	240mm/5.0mm	20/100	19.6/18.6	31x30.5x19.5cm

5 PCS Sabre saw blade set



Ideal for thin sheet metal(1.5-4mm)
pipes/profiles (dia.5-100mm).



Item No.	Size	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FKT2	150mm/1.4mm	20/100	10.2/9.2	30.5x24.5x14.5cm

HSS twist drill bit

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FTU01	1mm	4000	5.8/4.8	40x25x18cm
8FTU15	1.5mm	4000	6.6/5.6	40x25x18cm
8FTU02	2mm	4000	7/6	40x25x18cm
8FTU25	2.5mm	4000	7.8/6.8	40x25x18cm
8FTU03	3mm	4000	11.8/10.8	40x25x18cm
8FTU35	3.5mm	2000	9.2/8.2	40x25x18cm
8FTU04	4mm	2000	15.4/14.4	40x25x18cm
8FTU45	4.5mm	2000	15.4/14.4	40x25x18cm
8FTU05	5mm	2000	21/20	40x25x18cm
8FTU55	5.5mm	2000	21/20	40x25x18cm
8FTU06	6mm	2000	21.5/20.5	40x25x18cm
8FTU65	6.5mm	1000	21/20	40x25x18cm
8FTU07	7mm	1000	22/21	40x25x18cm
8FTU75	7.5mm	1000	22.25/21.25	40x25x18cm
8FTU08	8mm	500	17.5/16.5	40x25x18cm
8FTU85	8.5mm	500	20/19	40x25x18cm
8FTU09	9mm	500	22/21	40x25x18cm
8FTU95	9.5mm	300	16/15	40x25x18cm
8FTU10	10mm	300	18.4/17.4	40x25x18cm
8FTU105	10.5mm	300	19.6/18.6	40x25x18cm
8FTU011	11mm	300	19.75/18.75	40x25x18cm
8FTU012	12mm	300	21.5/20.5	40x25x18cm
8FTU013	13mm	300	22/21	40x25x18cm
8FTU014	14mm	100	16.3/15.3	40x25x18cm
8FTU015	15mm	100	18.6/17.6	40x25x18cm
8FTU016	16mm	100	21.9/20.9	40x25x18cm



13 PCS HSS twist drill set

Size: 1.5mm, 2mm, 2.5mm, 3mm, 3.2mm, 3.5mm,
4mm, 4.5mm, 4.8mm, 5mm, 5.5mm, 6mm, 6.5mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FTU13B	15/75	12/11	49x32.5x28cm

21 PCS HSS twist drill set

Size: 1mm, 1.5mm, 2mm, 2.5mm, 3mm, 3.2mm, 3.5mm, 4mm,
4.2mm, 4.5mm, 5mm, 5.5mm, 6mm, 6.5mm, 7mm, 7.5mm,
8mm, 8.5mm, 9mm, 9.5mm, 10mm




Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FTU21B	20	19/18	40x25x18cm

25 PCS HSS twist drill set


Size: 1mm, 1.5mm, 2mm, 2.5mm, 3mm, 3.5mm,
4mm, 4.5mm, 5mm, 5.5mm, 6mm, 6.5mm,
7mm, 7.5mm, 8mm, 8.5mm, 9mm, 9.5mm,
10mm, 10.5mm, 11mm, 11.5mm, 12mm,
12.5mm, 13mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FTU25B	20	22/21	45x30x21cm



Masonry drill bit



Item No.	Size	Box/Ctn (pcs)	G. W/N.W (kgs)	Ctn Size(M ³)	
				LxWxH	
BFMU370	3x70mm	600	5/4	33x32x15cm	
BFMU475	4x75mm	600	7/6	33x32x15cm	
BFMU585	5x85mm	600	8/7	33x32x15cm	
BFMU6100	6x100mm	600	16/15	33x32x15cm	
BFMU7100	7x100mm	600	18/17	33x32x15cm	
BFMU8120	8x120mm	300	13/12	32.5x18.5x20cm	
BFMU9120	9x120mm	300	14.5/13.5	32.5x18.5x20cm	
BFMU10120	10x120mm	300	17/16	32.5x18.5x20cm	
BFMU11150	11x150mm	108	11/10	24x22.5x18.5cm	
BFMU12150	12x150mm	108	13/12	24x22.5x18.5cm	
BFMU13150	13x150mm	108	13/12	24x22.5x18.5cm	
BFMU14150	14x150mm	108	15/14	24x22.5x18.5cm	
BFMU15150	15x150mm	108	16/15	24x22.5x18.5cm	
BFMU16150	16x150mm	108	17.5/16.5	24x22.5x18.5cm	

8 PCS Masonry drill bits set

Size: 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm



Item No.	Box/Ctn (sets)	G. W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFMU8	25/100	17/16	52.5x38x20.5cm

7 PCS Carbide grit hole saw

Size: 33mm, 53mm, 67mm, 73mm, 83mm
1pcs Aluminium locating plate
1pcs Pilot drill

Item No.	Box/Ctn (sets)	G. W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFBU7	10	13/12	43x27x41.5cm

Auger bit (Wood)



SDS Plus

Item No.	Size	Box/Ctn (pcs)	G. W/N.W (kgs)	Ctn Size(M ³)	
				LxWxH	
8FA8250	8X250mm	100	8.5/7.8	35x27x22cm	
8FA10250	10X250mm	100	10.6/10	35x27x22cm	
8FA12250	12X250mm	100	12.8/12.2	35x27x22cm	
8FA14250	14X250mm	100	14.8/14.2	35x27x22cm	
8FA16250	16X250mm	100	16.5/15.8	35x27x22cm	
8FA18250	18X250mm	100	20.2/19.6	35x27x22cm	
8FA20250	20X250mm	50	11.5/11	35x27x19cm	
8FA22250	22X250mm	50	13/12.5	35x27x19cm	
8FA24250	24X250mm	50	14.8/14.2	35x27x19cm	
8FA8500	8X500mm	100	15.7/14.8	60x23x26cm	
8FA10500	10X500mm	100	17.4/16.6	60x23x26cm	
8FA12500	12X500mm	100	24.2/23.4	60x23x26cm	
8FA14500	14X500mm	50	13.8/13.1	60x23x14cm	
8FA16500	16X500mm	50	16/15.3	60x23x14cm	
8FA18500	18X500mm	50	19.5/18.8	60x23x14cm	
8FA20500	20X500mm	25	12/11.4	60x19x18cm	
8FA22500	22X500mm	25	15/14.5	60x19x18cm	
8FA24500	24X500mm	25	17/16.4	60x19x18cm	

Auger bit (Wood)



Hex

Item No.	Size	Box/Ctn (pcs)	G. W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FA6125	6X125mm	200	5/4.6	32x17x16cm
8FA8125	8X125mm	200	7.7/7.3	32x17x16cm
8FA10125	10X125mm	100	6/5.6	32x17x16cm
8FA12125	12X125mm	100	8.1/7.7	32x17x16cm
8FA16200	16X200mm	50	9/8.3	33x25x17cm
8FA20200	20X200mm	50	10.8/10.1	33x25x17cm
8FA24200	24X200mm	50	14.5/13.8	33x25x17cm

Auger bit (Wood)



SDS Plus

Item No.	Size	Box/Ctn (pcs)	G. W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FA10600	10X600mm	50	17.7/16.7	70x23x14cm
8FA12600	12X600mm	50	18.1/17.1	70x23x14cm
8FA14600	14X600mm	50	18.6/17.9	70x23x14cm
8FA16600	16X600mm	50	19.5/18.5	70x23x14cm
8FA18600	18X600mm	25	10.6/10	70x23x14cm
8FA20600	20X600mm	25	11.3/10.8	70x19x18cm
8FA22600	22X600mm	25	11.5/11	70x19x18cm
8FA24600	24X600mm	25	11.7/11.2	70x19x18cm

SDS plus hammer drill bit





Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FHU4110	4x110mm	20/240	9/8	32x30x21cm
8FHU4160	4x160mm	20/240	10/9	32x30x26cm
8FHU5110	5x110mm	20/240	10/9	32x30x21cm
8FHU5160	5x160mm	20/240	12/11	32x30x26cm
8FHU5210	5x210mm	20/240	14/13	32x30x31cm
8FHU5516	5.5x160mm	20/240	13/12	32x30x26cm
8FHU5521	5.5x210mm	20/300	16/15	37x32x31cm
8FHU6110	6x110mm	20/300	12/11	37x32x21cm
8FHU6160	6x160mm	20/300	14/13	37x32x26cm
8FHU6210	6x210mm	20/300	17/16	37x32x31cm
8FHU6260	6x260mm	20/150	11/10	34x29x14cm
8FHU6516	6.5x160mm	20/300	15/14	37x32x26cm
8FHU6521	6.5x210mm	20/300	18/17	37x32x31cm
8FHU7110	7x110mm	20/200	9/8	37x22x21cm
8FHU7160	7x160mm	20/300	17/16	37x32x26cm
8FHU7210	7x210mm	20/300	19/18	37x32x31cm
8FHU7260	7x260mm	20/250	19/18	34x29x23cm
8FHU7350	7x350mm	20/100	11/10	43x24x14cm
8FHU8110	8x110mm	20/200	10/9	37x22x21cm
8FHU8160	8x160mm	20/300	16/15	37x32x26cm
8FHU8210	8x210mm	20/240	17/16	32x30x31cm
8FHU8260	8x260mm	20/200	17/16	34x29x19cm
8FHU8350	8x350mm	20/200	21/20	43x29x19cm
8FHU8400	8x400mm	20/100	13/12	48x24x14cm
8FHU9110	9X110mm	20/300	15/14	37x32x21cm
8FHU9160	9X160mm	20/200	13/12	37x22x26cm
8FHU9210	9X210mm	20/240	18/17	32x30x31cm
8FHU9260	9X260mm	20/200	18/17	34x29x20cm
8FHU1011	10X110mm	20/200	11/10	37x22x21cm
8FHU1016	10X160mm	20/200	14/13	37x22x26cm
8FHU1021	10X210mm	20/200	17/16	37x22x31cm
8FHU1026	10X260mm	20/200	21/20	34x29x20cm

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FHU1030	10x300mm	20/100	13/12	38x24x15cm
8FHU1035	10x350mm	20/100	16/15	43x24x15cm
8FHU1040	10x400mm	20/100	18/17	48x24x15cm
8FHU1116	11x160mm	20/200	16/15	37x22x26cm
8FHU1121	11x210mm	20/120	14/13	23x22x31cm
8FHU1126	11x260mm	20/100	13/12	34x24x15cm
8FHU1216	12x160mm	20/200	15/14	37x22x26cm
8FHU1221	12x210mm	20/120	13/12	23x22x31cm
8FHU1226	12x260mm	20/150	19/18	34x29x16cm
8FHU1230	12x300mm	20/100	15/14	38x24x15cm
8FHU1235	12x350mm	20/100	17/16	43x24x15cm
8FHU1240	12x400mm	20/80	16/15	48x15x16cm
8FHU1316	13x160mm	20/160	15/14	31x22x26cm
8FHU1321	13x210mm	20/120	17/16	23x22x31cm
8FHU1326	13x260mm	20/100	18/17	34x24x15cm
8FHU1416	14x160mm	20/160	16/15	31x22x26cm
8FHU1421	14x210mm	20/120	17/16	23x22x31cm
8FHU1426	14x260mm	20/100	16/15	34x24x15cm
8FHU1445	14x450mm	20/50	14/13	53x15x12cm
8FHU1516	15x160mm	20/120	12/11	23x22x26cm
8FHU1521	15x210mm	20/120	17/16	23x22x31cm
8FHU1526	15x260mm	20/80	13/12	34x15x17cm
8FHU1616	16x160mm	20/120	13/12	23x22x26cm
8FHU1621	16x210mm	20/120	20/19	23x22x31cm
8FHU1631	16x310mm	20/80	18/17	39x24x13cm
8FHU1726	17x260mm	20/50	13/12	34x15x14cm
8FHU1821	18x210mm	20/80	15/14	29x18x19cm
8FHU1831	18x310mm	20/50	15/14	39x15x14cm
8FHU1926	19x260mm	20/50	15/14	34x15x14cm
8FHU2031	20x310mm	20/50	18/17	39x15x14cm
8FHU2426	24x260mm	20/40	16/15	34x15x16cm
8FHU2626	26x260mm	20/40	18/17	34x15x17cm

SDS plus pointed chisel




Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FM1425	14X250mm	20/60	16/15	35x29x12cm

SDS plus flat chisel




Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FK1425	14X250X22mm	20/80	22/21	35x22x20cm

SDS plus hollow chisel




Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FOK1425	14X250X22mm	20/60	18/17	35x29x12cm

SDS max pointed chisel




Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FMM1840	18X400mm	20	15/14	50x12x10cm

SDS max flat chisel




Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FMK1840	18X400X25mm	20	16/15	50x12x10cm

SDS max flat chisel




Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FGK1840	18X400X50mm	20	20/19	50x12x12cm

SDS plus hammer drill bit


SDS Plus

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F0616	6x160mm	500	25/24	69x29x20cm
8F0621	6x210mm	500	29/28	69x34x28cm
8F0716	7x160mm	500	27/26	69x29x30cm
8F0721	7x210mm	400	27/26	51x34x28cm
8F0816	8x160mm	400	24/23	64x29x34cm
8F0821	8x210mm	300	27/26	39x34x28cm
8F0835	8x350mm	200	22/21	49x26x28cm
8F0916	9x160mm	300	21/20	48x29x35cm
8F1016	10x160mm	300	22/21	48x29x35cm
8F1021	10x210mm	250	23/22	38x34x26cm
8F1035	10x350mm	200	24/23	49x27x28cm
8F1045	10x450mm	150	30/29	58x26x23cm
8F1121	11x210mm	250	25/24	53x34x24cm
8F1216	12x160mm	250	21/20	53x29x24cm
8F1221	12x210mm	250	27/26	53x34x24cm
8F1235	12x350mm	200	30/29	49x42x24cm
8F1426	14x260mm	100	19/18	38x22x24cm
8F1435	14x350mm	100	22/21	49x22x24cm
8F1645	16x450mm	50	20/19	58x12x26cm
8F2045	20x450mm	40	25/24	58x14x24cm
8F2245	22x450mm	40	28/27	58x14x24cm

SDS max hammer drill bit


SDS Max

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F1434	14x340mm	60	21/20	37x26x15cm
8F1654	16x540mm	50	30/29	57x30x14.5cm
8F1854	18x540mm	30	21/20	57x18x14.5cm
8F2052	20x520mm	25	20/19	55x15x14.5cm
8F2252	22x520mm	25	22/21	55x15x14.5cm
8F2452	24x520mm	25	25/24	55x15x14.5cm
8F2857	28x570mm	20	27/26	60x17x13cm

SDS plus hexagon pointed chisel


SDS Plus

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F1425P	14x250mm	100	25/24	28x24x25cm

SDS max pointed chisel


SDS Max

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F1840P	18x400mm	40	30/29	43x21x12.5cm

SDS plus shank for chucks


SDS Plus

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F1920	72mm	500	24/23	50x29x32cm

SDS plus hexagon flat chisel


SDS Plus

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F1425F	14x250x20mm	100	26/25	28x24x25cm

SDS max flat chisel


SDS Max

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F1840F	18x400x25mm	40	30/29	43x21x12.5cm





Screwdriver bit (Philips)



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size (M ³) LxWxH
8F125PH	PH1 x 25mm	2000	13/12	44x14x18cm
8F150PH	PH1 x 50mm	1000	13/12	44x14x18cm
8F175PH	PH1 x 75mm	1000	18/17	49x22x13cm
8F1150PH	PH1 x 150mm	500	14/13	45x19x14.5cm
8F225PH	PH2 x 25mm	2000	13/12	44x14x18cm
8F250PH	PH2 x 50mm	1000	13/12	44x14x18cm
8F275PH	PH2 x 75mm	1000	18/17	49x22x13cm
8F2100PH	PH2 x 100mm	800	20/19	36x26x14cm
8F2150PH	PH2 x 150mm	500	14/13	45x19x14.5cm

Screwdriver bit (Pozidriv)



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size (M ³) LxWxH
8FPZ125	PZ1 x 25mm	2000	13/12	44x14x18cm
8FPZ150	PZ1 x 50mm	1000	13/12	44x14x18cm
8FPZ225	PZ2 x 25mm	2000	13/12	44x14x18cm
8FPZ250	PZ2 x 50mm	1000	13/12	44x14x18cm
8FPZ275	PZ2 x 75mm	1000	18/17	49x22x13cm
8FPZ2100	PZ2 x 100mm	800	20/19	36x26x14cm
8FPZ2150	PZ2 x 150mm	500	14/13	45x19x14.5cm

Screwdriver bit (Torx)



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size (M ³) LxWxH
8F1050T	T10x50mm	1000	13/12	44x14x18cm
8F1550T	T15x50mm	1000	13/12	44x14x18cm
8F2050T	T20x50mm	1000	13/12	44x14x18cm
8F2550T	T25x50mm	1000	13/12	44x14x18cm
8F3050T	T30x50mm	1000	13/12	44x14x18cm
8F4050T	T40x 50mm	1000	13/12	44x14x18cm
8F3075T	T30x75mm	1000	18/17	49x22x13cm
8F30100T	T30x100mm	800	20/19	36x26x14cm
8F30150T	T30x150mm	500	14/13	45x19x14.5cm

Screwdriver bit (Hex)



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size (M ³) LxWxH
8FHX350	HEX 3 x 50mm	1000	13/12	44x14x18cm
8FHX450	HEX 4 x 50mm	1000	13/12	44x14x18cm
8FHX550	HEX 5 x 50mm	1000	13/12	44x14x18cm
8FHX650	HEX 6 x 50mm	1000	13/12	44x14x18cm

Screwdriver bit (Slotted)



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BF5525LB	BL5.5x25mm	2000	13/12	44x14x18cm
BF5550LB	BL5.5x50mm	1000	13/12	44x14x18cm
BF5575LB	BL5.5x75mm	1000	18/17	49x22x13cm

Double end screwdriver bit



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFHZ22	PH2xPZ2	1000	16/15	44x14x21cm

Double end screwdriver bit



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFHH12	PH1xPH2	1000	16/15	44x14x21cm

Double end screwdriver bit



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFH8255	PH2xBL5.5	1000	16/15	44x14x21cm

Double end screwdriver bit



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFZ8255	PZ2xBL5.5	1000	16/15	44x14x21cm



Magnetic nut



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFNT06	6mm	600	14/13	55x13x15cm
BFNT08	8 mm	500	18/17	55x13x15cm
BFNT09	9 mm	400	17/16	55x13x15cm
BFNT10	10 mm	400	17/16	55x13x15cm
BFNT13	13 mm	320	19/18	44x25x15cm
BFNT17	17 mm	200	16/15	47x20x22cm

Bits holder magnetic



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFBH1060A	10x60mm	1000	18/17	44x25x15cm

Bits holder with quick release



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFBH1060B	10x60mm	500	13/12	44x25x15cm

Key type drill chuck



Item No.	Φmm	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFMTB10	1.5-10mm	3/8-24UNF	50	10/9	21x13x18.5cm
BFMTB13	1.5-13mm	1/2-20UNF	50	18/17	26x17x26cm

Keyless chuck



Item No.	Φmm	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFOTM13	2-13mm	1/2-20UNF	50	16/15	26x17x26cm

Keyless chuck



Item No.	Φmm	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFOTM10	0.8-10mm	3/8-24UNF	50	12/11	26x17x26cm
BFOTM13	1.5-13mm	1/2-20UNF	50	16/15	26x17x26cm

Paint mixer

SDS Plus



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F8D6040	60x400mm	40	12/11	50x35x24cm
8F8D80500	80x500mm	40	13/12	60x36x36cm
8F8D10050	100x500mm	20	11/10	60x44x21cm
8F8D12050	120x500mm	20	12/11	60x35x24cm

Paint mixer

SDS Plus



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F8D40080	80x400mm	40	13/12	50x35x29cm
8F8D50010	100x500mm	20	10/9	60x43x19cm
8F8D60012	120x600mm	20	10/9	70x47x21cm

Paint mixer

Hex



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FHX60375	60x375mm	40	12/11	50x23x33cm
8FHX80400	80x400mm	40	13/12	50x35x36cm
8FHX10042	100x425mm	20	11/10	53x44x20cm
8FHX12045	120x450mm	20	12/11	55x53x27cm

M14 paint mixer

M14



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FMI14	120x600mm	20	21/20	70x50x25cm

Drill stand

Height:400mm
Drilling depth:60mm
Holding diameter:43mm



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FMB1	6	13/12	44x36x35cm

Vacuum base vice

Ball joint swivel
360°rotation
Width approx.60mm
Hard locking nut



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FM1	12	15/14	39x38.5x31cm

T-handle hex key



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FHA3	3mm	24/144	5/4	27.5x25.5x25cm
8FHA4	4mm	24/144	11/10	44.5x28.5x23cm
8FHA5	5mm	12/96	10/9	44.5x28.5x23cm
8FHA6	6mm	12/96	12/11	44.5x28.5x23cm
8FHA8	8mm	10/40	11/10	33.5x25x33cm
8FHA10	10mm	10/40	12/11	33.5x25x33cm

T-handle torx key



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FTA15	T15	24/144	6/5	27.5x25.5x25cm
8FTA20	T20	24/144	7/6	44.5x28.5x23cm
8FTA25	T25	12/96	10/9	44.5x28.5x23cm
8FTA27	T27	12/96	11/10	44.5x28.5x23cm
8FTA30	T30	12/96	12/11	44.5x28.5x23cm
8FTA40	T40	10/40	12/11	33.5x25x33cm

9 PCS Hex key set

Size: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FB9A	12/48	13/12	45x21x24cm

9 PCS Hex key set

Size: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FB9C	12/48	23/22	45x32x24cm

9 PCS Torx key set

Size: T10, T15, T20, T25, T27, T30, T40, T45, T50



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBT9A	12/48	13/12	45x21x24cm

9 PCS Torx key set

Size: T10, T15, T20, T25, T27, T30, T40, T45, T50



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FB9B	12/48	17/16	44x29x24cm

9 PCS Hex key set

Size: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8FBA9A	12/48	13/12	45x21x24cm	

9 PCS Hex key set

Size: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8FBA9B	12/48	13/12	45x21x24cm	

9 PCS Hex key set

Size: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8FBA9	12/48	23/22	45x32x24cm	



7 PCS T-handle hex key set

Size: 2, 2.5, 3, 4, 5, 6, 8mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8FAB7	12/24	8/7	48x37.5x28.5cm	

7 PCS T-handle hex key set

Size: 2, 2.5, 3, 4, 5, 6, 8mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8FAB7	12/24	8/7	48x37.5x28.5cm	

6 PCS T-handle torx key set

Size: T10, T15, T20, T25, T30, T40



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8FTB6	12/24	10.5/9.6	48x37.5x28.5cm	

6 PCS T-handle torx key set

Size: T10, T15, T20, T25, T30, T40



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8FTB6	12/24	10.5/9.6	48x37.5x28.5cm	

Chain pipe wrench

Item No.	Size	Box/Ctn (pcs)	G. W./N. W (kgs)	Ctn Size(M ³) LxWxH
8FZA6	6"	32	12.5/12	38.5x28x17cm

Chain pipe wrench

Item No.	Size	Box/Ctn (pcs)	G. W./N. W (kgs)	Ctn Size(M ³) LxWxH
8FZA8	8"	24	14.5/14	41.5x31x16cm

Chain pipe wrench

Item No.	Size	Box/Ctn (pcs)	G. W./N. W (kgs)	Ctn Size(M ³) LxWxH
8FZA9	9"	6/36	22/20	34.5x29.5x29.5cm

Chain pipe wrench

Item No.	Size	Box/Ctn (pcs)	G. W./N. W (kgs)	Ctn Size(M ³) LxWxH
8FZA12	12"	6/24	21/19	37.5x34x18cm
8FZA15	15"	15	18/16	40.5x20x25cm
8FZA24	24"	12	22/20	65x23x17cm

Mini 2-jaw gear puller

Item No.	Size	Box/Ctn (pcs)	G. W./N. W (kgs)	Ctn Size(M ³) LxWxH
8FRC6040	60x40mm	50	11/10	44x22x15cm
8FRC6565	65x65mm	50	14/13	44.5x23.5x15cm
8FRC8080	80x80mm	50	13/12	45x27.5x15cm

2-Jaw gear puller bar type

Item No.	Size	Box/Ctn (pcs)	G. W./N. W (kgs)	Ctn Size(M ³) LxWxH
8FRC8100	80x100mm	20	19/18	34x28x20cm
8FRC1210	120x100mm	20	22/21	34x33x21.5cm
8FRC1215	120x150mm	6	17/16	26x22x27.5cm
8FRC1520	150x200mm	6	19/18	26x25x31cm
8FRC2520	250x200mm	3	22/21	35.5x34.5x21.5cm

Mini 2-arm puller

Item No.	Size	Box/Ctn (pcs)	G. W./N. W (kgs)	Ctn Size(M ³) LxWxH
8FCM6040	60x40mm	50	13/12	44x25x14cm
8FCM6565	65x65mm	50	12/11	44x25x14cm
8FCM8080	80x80mm	50	14/13	44x27.5x14cm

Mini 3-jaw gear puller

Item No.	Size	Box/Ctn (pcs)	G. W./N. W (kgs)	Ctn Size(M ³) LxWxH
8FMC6040	60x40mm	50	14/13	35x25x35cm
8FMC6565	65x65mm	50	16/15	35x25x35cm
8FMC8080	80x80mm	50	18/17	35x27.5x35cm

Mini 3-arm puller



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFAC6040	60x40mm	50	14/13	35x23x35cm
BFAC6565	65x55mm	50	17/16	35x23x35cm
BFAC8080	80x80mm	50	19/18	35x27x35cm

Ball joint puller



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFROC1	30	25/24	29.5x24.5x24cm

Oil filter wrench



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFFA115	6/36	11/9	47x25.5x26cm

Adjustable wrench



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFNO6K	6"/150mm	6/60	9.4/8.8	26.5x17.8x17.9cm
BFNO8K	8"/200mm	6/60	17.9/16.6	31.5x23x21.1cm
BFNO10K	10"/250mm	6/36	19.2/18.3	28x23.4x22.3cm
BFNO12K	12"/300mm	6/24	20.8/20	33x18.5x24.7cm

Two way oil filter wrench

Removes all oil filter from 2-1/2" to 4-1/2" in diameter



Item No.	Range	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFFA3A	69-136mm	24	14.5/14	38.5x29.5x20cm

Two way oil filter wrench

Removes all oil filter from 1-3/4" to 3" in diameter



Item No.	Range	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFFA3B	43-102mm	24	15/14.5	38.5x29.5x20cm

Flexible rod with magnetic tip

24"(600mm)
Magnetic capacity:0.5kg



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFMT101	96	13/12.5	40.5x39x35cm

Flexible rod with magnetic tip

24"(620mm)
Magnetic capacity:1.0kg



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFMT103	96	16/15.5	41x38x34cm

Flexible rod with magnetic tip

20"(500mm)
Magnetic capacity:2.0kg



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFMT102	100	22/21.5	59.5x40.5x45cm

Jerry can

Capacity: 20L
Thickness:0.8mm
N.W:3.7kg



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFBD020	5	19/18	83.5x37x48cm



8 PCS Double open spanner set

Size: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm



Item No.	Box/Ctn (sets)	G. W./N. W (kgs)	Ctn Size(M ³)
			LxWxH
8FAA08	20	23/21	53.5x24x22cm

12 PCS Double open spanner set

Size: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32mm



Item No.	Box/Ctn (sets)	G. W./N. W (kgs)	Ctn Size(M ³)
			LxWxH
8FAA12	10	26/24	39x31x35cm

8 PCS Double ring offset spanner set

Size: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm



Item No.	Box/Ctn (sets)	G. W./N. W (kgs)	Ctn Size(M ³)
			LxWxH
8FYA08	10	12/10	33x24x23.5cm

12 PCS Double ring offset spanner set

Size: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32mm



Item No.	Box/Ctn (sets)	G. W./N. W (kgs)	Ctn Size(M ³)
			LxWxH
8FYA12	6	19/17	45x34x23cm

8 PCS Combination spanner set

Size:8,9,10,11,13,17,19,21mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFGA08	20	18/16	42x28x25cm

12 PCS Combination spanner set

Size:8,9,10,11,12,13,14,15,16,17,19,22mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFGA12	10	15/13	34x29.5x27.5cm

Combination spanner



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFTK06	6mm	12/360	10/8	30.5x30x18cm
BFTK07	7mm	12/360	12/10	30.5x30x18cm
BFTK08	8mm	12/360	14/12	30.5x30x18cm
BFTK10	10mm	12/360	18/16	30.5x30x18cm
BFTK11	11mm	12/360	23/21	30.5x30x18cm
BFTK12	12mm	12/360	26/24	38x35.5x21cm
BFTK13	13mm	12/240	21/19	38x20.5x24cm
BFTK14	14mm	12/240	26/24	38x20.5x24cm
BFTK15	15mm	12/120	15/13	29x25x22.5cm
BFTK16	16mm	12/120	16/14	29x25x22.5cm
BFTK17	17mm	12/120	22/20	29x25x22.5cm
BFTK18	18mm	6/120	23/21	29x25x22.5cm
BFTK19	19mm	6/120	25/23	45x28.5x22cm
BFTK22	22mm	6/90	25/23	45x28.5x17cm
BFTK24	24mm	6/60	23/21	31.5x29.5x20cm
BFTK27	27mm	6/30	14/12	35.5x32x11cm
BFTK30	30mm	6/30	19/17	43x36x12.5cm
BFTK32	32mm	6/30	22/20	43x36x12.5cm
BFTK36	36mm	5/20	22/20	50.5x33x14cm

21 PCS Combination spanner set

Size:6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,24,27,30,32mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFGA21	5	20/18	49.5x37.5x16.5cm

Double open spanner



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFTA67	6x7mm	12/360	14/16	40x26.5x18cm
BFTA89	8x9mm	12/360	18/16	40x26.5x18cm
BFTA1011	10x11mm	12/360	23/21	40x26.5x18cm
BFTA1213	12x13mm	12/240	20/18	34.5x21x18cm
BFTA1415	14x15mm	12/240	27/25	38x21.5x25.5cm
BFTA1617	16x17mm	12/180	24/22	30.5x21.5x23.5cm
BFTA1819	18x19mm	6/120	17/15	24x21.5x21cm
BFTA2022	20x22mm	6/120	22/20	32.5x25.5x23cm
BFTA2123	21x23mm	6/60	12/10	28.5x25x14cm
BFTA2427	24x27mm	6/60	21/19	36x30x18cm
BFTA3032	30x32mm	6/30	17/15	36x30x10cm

Ratchet combination spanner



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFRTO8	8mm	12/120	6/4	32x27x28.5cm
BFRTO10	10mm	12/120	8/6	32x27x28.5cm
BFRTO12	12mm	12/120	11/9	32x27x28.5cm
BFRTO13	13mm	6/120	12/10	50x33x28cm
BFRTO14	14mm	6/120	16/14	50x33x28cm
BFRTO15	15mm	6/60	9/7	50x33x15cm
BFRTO17	17mm	6/60	12/10	50x33x15cm
BFRTO19	19mm	6/60	15/13	50x33x15cm

Double ring offset spanner



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFTY67	6x7mm	12/360	11/9	41x30x22cm
BFTY89	8x9mm	12/360	22/20	41x30x22cm
BFTY1011	10x11mm	12/240	17/15	30x23x22cm
BFTY1213	12x13mm	12/180	17/15	41x22x16cm
BFTY1415	14x15mm	6/120	11/9	35x25.5x17.5cm
BFTY1617	16x17mm	6/120	17/15	35x25.5x17.5cm
BFTY1819	18x19mm	6/90	19/17	33x33x22cm
BFTY2022	20x22mm	6/60	19/17	33x22.5x22cm
BFTY2427	24x27mm	6/60	25/23	38x26x26cm
BFTY2528	25x28mm	6/30	22/20	44x31x15cm
BFTY3032	30x32mm	6/30	28/26	44x31x15cm

Flexible head ratchet spanner



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFFX08	8mm	12/120	6/4	32x27x28.5cm
BFFX10	10mm	12/120	8.5/6.5	32x27x28.5cm
BFFX12	12mm	12/120	12/10	32x27x28.5cm
BFFX13	13mm	6/120	13/11	50x33x28cm
BFFX14	14mm	6/120	17/15	50x33x28cm
BFFX15	15mm	6/60	9.5/7.5	50x33x15cm
BFFX17	17mm	6/60	13/11	50x33x15cm
BFFX19	19mm	6/60	16/14	50x33x15cm

25 PCS 1/2"DR. 6PT socket set

Chrome vanadium steel
 18pcs 1/2"Dr.Sockets:10,11,12,13,14,15,16,17,18,19,20,
 21,22,23,24,27,30,32mm
 2pcs 1/2"Dr.Extension bar:5" & 10"
 2pcs 1/2"Dr.Spark plug socket:16mm & 21mm
 1pc 1/2"Dr.Universal Joint
 1pc 1/2"Dr.Flipper ratchet handle W /Q.R
 1pc 1/2"Dr.Sliding T handle:10"



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FUL25C	4	22.5/21.5	46.7x21.5x23.3cm

25 PCS 1/2"DR. 12PT socket set

Chrome vanadium steel
 18pcs 1/2"Dr.Sockets:10,11,12,13,14,15,16,17,18,19,20,
 21,22,23,24,27,30,32mm
 2pcs 1/2"Dr.Extension bar:5" & 10"
 2pcs 1/2"Dr.Spark plug socket:16mm & 21mm
 1pc 1/2"Dr.Universal Joint
 1pc 1/2"Dr.Flipper ratchet handle W /Q.R
 1pc 1/2"Dr.Sliding T handle:10"



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FUL25D	4	22.5/21.5	46.7x21.5x23.3cm

25 PCS 1/2"DR. 6PT socket set

Chrome vanadium steel
 16pcs 1/2"DR.sockets:10,11,12,13,14,15,16,17,18,19,
 21,22,24,27,30,32mm
 2pcs 1/2"DR.Extension bar:5" & 10"
 1pc 3 Way adapter:1/2"(M)x3/8"(F)
 1pc 1/2"DR.Universal joint
 2pcs 1/2"DR.Spark plug socket:17 & 19mm
 1pc 1/2"DR.Spark plug socket:21mm
 1pc 1/2"DR.Flipper ratchet handle:72 teeth



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FL25A	4	20.5/19.5	46.7x21.5x23cm

25 PCS 1/2"DR. 12PT socket set

Chrome vanadium steel
 16pcs 1/2"DR.sockets:10,11,12,13,14,15,16,17,18,19,
 21,22,24,27,30,32mm
 2pcs 1/2"DR.Extension bar:5" & 10"
 1pc 3 Way adapter:1/2"(M)x3/8"(F)
 1pc 1/2"DR.Universal joint
 2pcs 1/2"DR.Spark plug socket:17 & 19mm
 1pc 1/2"DR.Spark plug socket:21mm
 1pc 1/2"DR.Flipper ratchet handle:72 teeth



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FL25B	4	20.5/19.5	46.7x21.5x23cm

4 Way lug wrench



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FD1621	16" 1/2"x17x19x21mm	12	16.4/15.9	34.5x31x21.5cm
8FD1821	18" 1/2"x17x19x21mm	12	19/18.4	39x35x21.5cm

4 Way lug wrench



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FD1722	18" 17x19x21x22mm	12	19/18.4	41x35x21cm
8FD1723	18" 17x19x21x23mm	12	19/18.4	41x35x21.5cm

2 Way truck wrench



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FD2427	24x27x450mm 16x450mm	6	15.28/15.1	46x18x9.5cm

Lever



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F89900	12"	20	5/4	32x9x8cm
8F89901	16"	20	14/13	42x14x8cm
8F89902	20"	20	19/18	52.5x14x9cm
8F89903	24"	20	21/20	62x14x8cm



Combination plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FPN06	6"	36	8/7	29x25x27cm
8FPN07	7"	36	10/9	31.5x26.5x27cm
8FPN08	8"	36	11/10	33.5x28.5x27cm

Diagonal cutting plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FYND6	6"	36	8/7	31.5x26.5x27cm
8FYND7	7"	36	10/9	33.5x28.5x27cm

Insulated combination plier



AC 1000V

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FEP06	6"	6/48	11.5/10.5	48x21x23cm
8FEP07	7"	6/48	13.5/12.5	48x22.5x23cm

Insulated diagonal cutting plier



AC 1000V

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FEY6	6"	6/48	12/11	48x22.5x23cm

Long nose plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FKB06	6"	36	7/6	29x25x27cm

Bent nose plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FKE06	6"	36	7/6	29x25x27cm

Insulated long nose plier



AC 1000V

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FEK6B	6"	6/48	10.5/9.5	48x22.5x23cm

Insulated bent nose plier



AC 1000V

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FEK6A	6"	6/48	10.5/9.5	48x22.5x28cm

Double X plier long nose



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FUP13A	13"	30	12/11	41x27.5x13.5cm

Double X plier bent nose



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FUP13B	13"	30	12/11	41x27.5x13.5cm

Double X plier flat nose



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FUP13C	13"	30	11/10	41x27.5x13.5cm

Double X plier hose plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FUP13D	13"	30	12/11	42x38.5x14.5cm

Straight type circlip plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F8P07A	7"	48	8/7	33x24x26cm

Straight type circlip plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F8P07B	7"	48	9/8	33x24x26cm

Bent type circlip plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F8P07C	7"	48	8/7	33x24x26cm

Bent type circlip plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F8P07D	7"	48	9/8	33x24x26cm



4 PCS Circlip pliers set

1pc Straight type circlip plier
 1pc Straight type circlip plier
 1pc Bent type circlip plier
 1pc Bent type circlip plier

Item No.	Size	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F8P07E	7"	24	17/16	47x29.5x39cm

Mini combination plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FMP45	4.5"	12/120	14/13	42x28x23cm

Mini end cutting plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FMT45	4.5"	12/120	14/13	42x28x23cm

Mini diagonal cutting plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FMY45	4.5"	12/120	13/12	42x28x23cm

Mini long nose plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FMK45A	4.5"	12/120	12/11	42x28x23cm

Mini needle plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FMK45B	4.5"	12/120	12/11	42x34x23cm



Carpenter's pincer



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FKRP6	6" / 150mm	6/60	15/14	48.5x25.5x25.5cm
8FKRP7	7" / 170mm	6/60	17/16	48.5x27.5x26.5cm

Tower pincer



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FKRP10	10" / 250mm	6/48	22/21	39x34x31.5cm
8FKRP11	11" / 275mm	6/48	25/24	45x39x32.5cm

Water pump plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FFP010	9.5" 240mm	48	20/19	36.5x35x27cm
8FFP012	12" 305mm	48	31/30	41.5x34x29cm

Hose clamp plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FHKP85	8.5"	6/36	12.5/11.8	34x32x33cm

Curved jaw lock plier (Positive opening)



Curved jaw lock plier (Negative opening)



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FAYP10A	10"	36	17.2/16.2	31.5x29x27.5cm

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FAYP10B	10"	36	17.2/16.2	31.5x29x27.5cm

Hand riveter



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FPC10A	10.5"	6/24	12/10	47x35x18cm

Hand riveter



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FPC10B	10"	6/24	13/11	47x35x18.5cm

Curved jaw lock plier



W-type plate-welding plier



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FAYP10C	10"	36	21/20	31.5x29x27.5cm

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FAYP10D	10"	20	13/12	30x27x20cm

Hand riveter



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FPC10C	10.5"	6/24	15/13	47x35x18cm

Hand riveter



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FPC10D	11.5"	6/24	17/15	57x37x20cm

SM-type edge-folded plier



G-type lock wrench



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FAYP010	10"	20	17/16	30x52x25cm

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FAYP011	11"	20	16.2/15.2	25x28x27cm

Hand riveter



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBKPC17	17"	12	15/13	45.5x26x28.5cm



90° Double pipe wrench**Heavy duty pipe wrench**

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
SFMA34	3/4"	36	24/22	29x25.3x22cm
SFMA1	1"	24	20/18	32.8x19.7x20cm
SFMA15	1.5"	14	20/18.6	43.5x16.3x19cm
SFMA2	2"	8	24/22	57x18.5x12.5cm
SFMA3	3"	6	22/20	68x21x12cm
SFMA4	4"	4	16/14	76x14x10.5cm

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
SFBA8	8"	6/36	21/19	36x21.5x12.5cm
SFBA10	10"	6/24	19/17	26.5x24.5x13.5cm
SFBA12	12"	6/18	19/17	29.5x13.5x21cm
SFBA14	14"	6/12	17/15	33.5x14.5x16.5cm
SFBA18	18"	4/8	17/15	41.5x20.5x9.5cm

Bolt cutter**Mini bolt cutter**

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
SFDK12	12"	24	20/18	32x21.5x34cm
SFDK14	14"	24	25/22	38x23.5x34cm
SFDK18	18"	12	20/18	47.5x27.5x19.5cm
SFDK24	24"	6	16/14.5	63.5x31.5x10cm
SFDK30	30"	5	21/19	78.5x17.5x19cm
SFDK36	36"	4	25/23	93x18.5x16.5cm

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
SFDK08	8"	6/60	19/17	49x28x24cm



Pruning shear

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
SFBM08	8"	6/48	18.5/16.5	61x28x21cm

Pruning shear

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
SFBM9	9"	6/48	24.5/22.5	61x31x21.5cm

Aviation plier

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
SFK250A	10"/250mm	6/48	21/20	45x34x36.5cm

Aviation plier

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
SFK250B	10"/250mm	6/48	21/20	45x34x36.5cm

Pruning shear


Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
SFM8	8"	6/48	21/19	56x36x20.9cm

Pruning shear

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
SFBM200	8"	6/36	17.2/15.2	61x31x33cm

Aviation plier

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
SFK250C	10"/250mm	6/48	21/20	45x34x36.5cm

Heavy duty aviation plier

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
SFK250D	10"/250mm	6/36	18/17	34x34x40.5cm

Pruning shear

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
SFBMK08	8"	6/24	8.5/6.5	31.3x30x21.7cm
SFBMK09	9"	6/24	10.2/8.2	32.2x32.2x21.8cm

Pruning shear

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
SFBMK08B	8"	6/24	10/8	31.5x30x21.7cm
SFBMK09B	9"	6/24	12/10	31x32x22.3cm

Electrician's shear

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
SFEM140	5.5" /140mm	10/100	15/14	53.5x24x29.5cm

Tinmans snipper

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
SFSTM8	8"/200mm	6/36	12/11	40x30x32.5cm
SFSTM10	10"/250mm	6/36	18/17	44.5x35x32.5cm
SFSTM12	12"/300mm	6/24	17/16	40.5x30x32.5cm

Tinmans snipper

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFTM250	10"/250mm	6/36	17/16	33.5x28x30.5cm
BFTM300	12"/300mm	6/24	17/16	38.5x30x19.5cm

Tinmans snipper

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFKM10A	10"/250mm	6/36	18/17	34.5x30.5x33.5cm

Utility knife

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFMB185	18mm	12/144	20/19	50x44x24cm

Utility knife

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFMB18C	18mm	12/144	14/13	50x44x24cm

Cable cutter

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFCB150	6"/150mm	6/60	13/12	43.5x24.5x21.5cm
BFCB200	8"/200mm	6/60	20/19	43.5x27.5x23.5cm

Gold shear

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFMD150	6"/150mm	10/80	13/12	35x25.5x27.5cm

Utility knife

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFMB25	25mm	12/144	22/21	59x44x25cm

Folding utility knife set

Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFMB5P	12/144	21/20	59x44x25cm

Cable cutter

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFCB225	9"/225mm	6/48	22/21	39x32x24.5cm

Gold shear

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFMB150	6"/150mm	10/80	13/12	35x25.5x27.5cm

Utility knife

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFMB18A	18mm	12/144	13/12	50x44x24cm

Utility knife

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFMB18B	18mm	12/144	14/13	50x44x24cm

Electrcan's knife

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FEB190A	190mm	10/100	15/14	46x27x34.5cm

Electrcan's knife

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FEB190B	190mm	10/100	15/14	46x27x34.5cm

Bypass lopper

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FDB01A	25-38"	2/6	14/12	68.5x25x24cm

Anvil lopper

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FDB01B	26-39"	2/6	15/13	66x27x25.5cm

Utility knife

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FMB09	9mm	24/288	6/5	32x30x17cm

Glass cutter

Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FCE100	12/240	7/6	46x19x16cm

Hedge shear

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FDB01C	26-35"	2/6	13/11	69x31.5x22.5cm

Hedge shear

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FCM04	21"	4/12	18/16	58x26x31.5cm

Glass cutter

Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FCE101	12/120	11/10	41x25x28cm

2 In 1 hand planer set

Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FER1	12	14/12.5	56x43x25cm

Garden saw

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBT24	1.2-2.4m	6/12	28.5/25.5	37.5x37.5x38cm

Fret saw frame

With 5 blades:14T,18T,24T,24T(wide)



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FKT6	12/72	15/13	45x33x35cm

Hacksaw frame

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FDT06	6"	12/96	7/6	51x26x21.5cm

Hacksaw frame

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FDT12C	12"	6/48	18/17	46x45x32.5cm

Foldable saw

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBT150	150mm	6/36	11/9	40.5x35x32cm

Foldable saw

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBT180	180mm	6/36	11/9	40.5x35x32cm

Hacksaw frame

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FDT1012	10"-12"	6/24	9/8	48x27x27.5cm

Hacksaw frame

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FDT12B	12"	6/24	15/14	43x30x33.5cm

Pruning saw

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBT240A	240mm	6/36	14/12	61x57x38cm
8FBT300	300mm	6/36	15/13	61x57x38cm

Pruning saw

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBT240B	240mm	6/36	19/17	61x57x38cm
8FBT270	270mm	6/36	20/18	61x57x38cm

Garden bow saw

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FKT812	12"	12	7/6	40x29x21cm

Garden bow saw

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FKT824	24"	12	9/8	72x24x22cm
8FKT830	30"	12	10/9	87x24x24.5cm

Board saw

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FAT806	6"	12/48	10/9	37x32x24cm

Hand saw

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FET8400	400mm	6/24	12/11	53x23x29.5cm
8FET8450	450mm	6/24	13/12	58x23x29.5cm
8FET8500	500mm	6/24	14/13	63x23x29.5cm

PVC pipe cutter

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBM36	36mm	10/50	12.5/11.5	51x28.5x28cm

Tube cutter

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBM330	3-30mm	6/60	20/18	55.5x48.6x22cm

Hydraulic crimping tool

Crimping range: Cu10-300mm²
 Crimping force: 70KN
 Crimping type: hexagon crimping
 Stroke: 18mm
 Length: approx.475mm
 Weight: approx.3.6kg
 Crimping dies: 10,16,25,35,50,70,95,120,150,185,240,300mm²

Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FHK1630	4	27/26	53x21x37cm

**PVC pipe cutter**

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBM42A	42mm	10/50	18.5/17	66.5x28.5x29.5cm

Tube cutter

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBM332	3-32mm	6/60	18/16	55.5x48.6x22cm

Hydraulic crimping tool

Crimping range: Cu10-120mm²
 Crimping force: 60KN
 Crimping type: hexagon crimping
 Stroke: 13mm
 Length: approx.415mm
 Weight: approx.2.8kg
 Crimping dies:10,16,25,35,50,70,95,120mm²

Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FHK1012	4	21/20	45x19x35cm

**PVC pipe cutter**

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBM42B	42mm	10/50	18.5/17	73.5x33x28cm

**Rebar cutter**

Cutting range: Φ4- Φ16mm
 Length: approx.410mm
 Weight: approx.3.3kg

Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FHK416	4	17/16	45x19x35cm



Tile cutter

Item No.	Size	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
BFKK3400	400mm	4	18/16	54x26x67cm

Tile cutter

Item No.	Size	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
BFKK3500	500mm	3	16.5/15	41x20x77cm

Tile cutter

Item No.	Size	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
BFKK3600	600mm	3	18/16.5	41x20x87cm

Staple gun

Size: 4-14mm(5/32"-9/16")



Item No.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
BFZ414A	6/24	19.6/18.6	61x48x28cm

Staple gun

Size: 4-14mm(5/32"-9/16")



Item No.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
BFZ414B	6/24	15.3/14.5	41x27.5x25.5cm

Staple gun

Size: 4-8mm(5/32"-5/16")



Item No.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
BFZ48A	5/20	9.6/8.6	39x35x16.5cm



Machinist hammer

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FTC100	100g	12/120	18/17	47x30x22.7cm
8FTC200	200g	12/60	19/18	54x34x14cm
8FTC300	300g	6/60	25/24	59x36x16cm
8FTC400	400g	6/36	19/18	37x37x17.6cm
8FTC500	500g	6/36	23/22	40x38.5x19cm
8FTC800	800g	6/24	23/22	43x29x23cm
8FTC1000	1000g	6/24	28/27	43x30x24.6cm
8FTC1500	1500g	6/12	20/19	49x32x14.5cm
8FTC2000	2000g	6/12	27/26	49x34x15.5cm

Machinist hammer

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FFC100	100g	12/120	27/26	45x32x27.5cm
8FFC200	200g	12/60	19/18	53x32.6x15.6cm
8FFC300	300g	6/60	25/24	59x36.6x16.6cm
8FFC400	400g	6/36	22/21	37x37x17.6cm
8FFC500	500g	6/36	28/27	40x38.5x19cm
8FFC800	800g	6/24	27/26	43x23x23cm
8FFC1000	1000g	6/24	31/30	43x30x24.6cm
8FFC1500	1500g	6/12	23/22	49x32x14.5cm
8FFC2000	2000g	6/12	29/28	49x34x15.5cm

Claw hammer

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FCC250	250g	6/48	20/19	50x36x16.5cm
8FCC500	500g	6/36	25/24	45x41x19.2cm

Claw hammer

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F250C	250g	6/48	21/20	49.6x36x17.5cm
8F350C	350g	6/36	22/21	40.5x37x18.6cm
8F500C	500g	6/36	27/26	45x41x19cm

Metal claw hammer

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FDC500	500g	6/24	21/20	41x30x19.5cm

Mini claw hammer

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FMC250	250g	6/36	16/15	39x22.8x18.5cm

Axe

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FMB450	450g	6/24	20/19	29.5x29x22.8cm

Axe

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FFB500	500g	6/24	22/21	41x32.5x20.5cm
8FFB600	600g	6/24	24/23	41x32.5x20.5cm
8FFB800	800g	6/24	29/28	44x36x21.5cm
8FFB1000	1000g	6/12	18/17	52x20x22.5cm
8FFB1250	1250g	12	28/27	75x20x21cm

Axe

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FTB500	500g	6/24	17/16	41x32.5x20.5cm
8FTB600	600g	6/24	19/18	41x32.5x20.5cm
8FTB800	800g	6/24	25/24	44x36x21.5cm
8FTB1000	1000g	6/12	17/16	52x20x22.5cm
8FTB1250	1250g	12	20/19	75x20x21cm

ADZE

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FK400	400g	6/36	22/21	43.5x34x21cm

ADZE

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FK450	450g	6/36	24/23	43x36.5x21cm



6 PCS Punch & chisel set

2PCS Cold chisel:15x12x150mm,12x10x130mm
 1PC Pin punch:5x12x150mm
 1PC Center punch:3x10x120mm
 1PC Taper punch:3x10x120mm
 1PC Cape chisel:4x10x130mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8F13366	20	14.5/13.5	38x23x15cm	

6 PCS Pin punch set

Size:3x10x150mm,4x10x150mm,5x10x150mm,
 6x10x150mm,7x12x150mm,8x12x150mm



Item No.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8F13406	10/20	12.5/11.5	32x28x24.5cm	

Gold chisel



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
				LxWxH	
8FK2518A	250x18mm	6/36	19/18	45x28x28cm	

Gold chisel



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
				LxWxH	
8FK2518B	250x18x25mm	6/36	19/18	45x28x28cm	

Pin punch



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
				LxWxH	
8F13374	4mm	10/200	15/14	25.5x17.5x15.5cm	
8F13375	5mm	10/200	15/14	25.5x17.5x15.5cm	
8F13376	6mm	10/200	15/14	25.5x17.5x15.5cm	

Pointed chisel



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
				LxWxH	
8F13390	250mm	10/40	17/16	33x27.5x12cm	

Cat claw nail puller



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
				LxWxH	
8FLV11	11"	12/48	21/20	39x27x14cm	

Nail puller



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
				LxWxH	
8FLV10	10"	12/48	19/18	39x27x14cm	

Flat chisel



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
				LxWxH	
8F14200	200mm	10/60	16/15	28x27x13.5cm	
8F14250	250mm	10/40	17/16	33x29.5x10cm	
8F14300	300mm	10/40	26/25	38x29.5x10cm	

Flat chisel



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
				LxWxH	
8F13324	240mm	10/60	20/19	32x27x13cm	

Nail puller



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
				LxWxH	
8FLV12	12"	12/48	20/19	39x27x14cm	



Half round wood file



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFYT10	10"	6/60	15/14	40x14x21cm
BFYT12	12"	6/60	21/20	44x14x21cm

Slim taper triangle file



Item No.	Size	Box/Ctn (dozens)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFBE4	4"	100	16/15	30x15x19cm
BFBE5	5"	50	14/13	20x18x16cm
BFBE6	6"	40	17/16	21x20x19cm
BFBE7	7"	25	17/16	27x20x13cm
BFBE8	8"	20	17/16	28x19x14cm

Regular taper triangle file



Item No.	Size	Box/Ctn (dozens)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFGE5	5"	25	16/15	23x18x16cm
BFGE6	6"	20	18/17	25x24x15cm
BFGE7	7"	15	19/18	28x18x17cm
BFGE8	8"	10	20/19	30x20x11cm

5 PCS File set



Item No.	Size	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFES5	8"	5/20	18/17	36x35x40cm

Heating torch



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFET8375	375mm	30	14/13	52x34x50cm
BFET8395	395mm	30	15/14	52x34x52cm
BFET8570	570mm	30	18/17	71x34x56cm
BFET8900	900mm	30	20/19	91x34x53cm

Chain block

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFCR8053	0.5Ton x 3M	1	10.5/10	25x17x14.5cm
BFCR813	1Ton x 3M	1	10.5/10	25x17x14.5cm
BFCR823	2Ton x 3M	1	13/12	26.5x20x14.5cm
BFCR833	3Ton x 3M	1	21/20	31.5x25x16cm
BFCR815	1Ton x 5M	1	13/12	25x20.5x14.5cm
BFCR825	2Ton x 5M	1	18/17	27x25x14.5cm
BFCR835	3Ton x 5M	1	27/26	31.5x29x16cm



F clamp



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFPI5150	50x150mm	50	19/18	43x28x18cm
BFPI5200	50x200mm	50	20/19	43x28x18cm
BFPI5250	50x250mm	50	21/20	43x28x18cm
BFPI5300	50x300mm	50	22/21	43x28x18cm
BFPI5400	50x400mm	50	23/22	47x28x18cm
BFPI8250	80x250mm	20	17/16	46x28x14cm
BFPI8300	80x300mm	20	18/17	46x28x14cm
BFPI8400	80x400mm	20	20/19	49x28x14cm
BFPI8500	80x500mm	20	22/21	59x28x14cm
BFPI8600	80x600mm	20	24/23	69x28x14cm
BFPI12300	120x300mm	10	18/17	53x17x20cm
BFPI12500	120x500mm	6	14/13	62x11.5x20cm
BFPI12600	120x600mm	6	15/14	72x11.5x20cm

Bench vise



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFMG100	4"	4	18/16.8	55x39x19cm
BFMG125	5"	2	15/14	37x34x22cm
BFMG150	6"	2	20/19.2	41x40x23cm
BFMG200	8"	1	14/13	45x23x21cm

Bottle jack

Item No.	Capacity	↑ min. ↓ max.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FBK2	2Ton	158-308mm	8	20.2/19.2	41x24x19cm
8FBK3	3Ton	180-350mm	6	20.6/19.8	36x26x23cm
8FBK5	5Ton	200-405mm	4	18/17.2	27x26x23cm
8FBK8	8Ton	200-405mm	4	23/22	28x28x23cm
8FBK10	10Ton	200-405mm	2	13.2/12.2	28x15x23cm
8FBK12	12Ton	210-415mm	2	15.4/14.4	31x16x24cm
8FBK15	15Ton	225-445mm	2	19/18	32x17x26cm
8FBK20	20Ton	235-440mm	2	23/22	37x18x27cm
8FBK30	30Ton	285-465mm	1	15/14.6	20x20x30cm

Trolley jack

Item No.	Capacity	↑ min. ↓ max.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FCK2	2Ton	130-327mm	1	9.4/8.5	48x23x15cm

Trolley jack

Item No.	Capacity	↑ min. ↓ max.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FKK2	2Ton	130-327mm	1	9/8.5	47.5x21x13cm

Garage jack

Item No.	Capacity	↑ min. ↓ max.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FK3A	3Ton	130-500mm	1	36/34	72x38.5x21cm

Garage jack

Item No.	Capacity	↑ min. ↓ max.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FK3B	3Ton	80-530mm	1	48/46	79x38.5x18cm

Floor jack

Item No.	Capacity	↑ min. ↓ max.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FAK02A	2Ton	133-387mm	1	13.8/13.2	55.5x20x15.5cm

Floor jack

Item No.	Capacity	↑ min. ↓ max.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FAK02B	2.25Ton	80-365mm	1	11/10.5	59.5x23x15.5cm

Professional garage jack

Item No.	Capacity	↑ min. ↓ max.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FBK3T	3Ton	140-525mm	1	55/50	128x41x21cm

Jack stands

Item No.	Capacity	↑ min. ↓ max.	Box/Ctn (sets)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
8FK2T	2Ton	278-420mm	2	6.2/5.5	21x19.5x35.5cm
8FK3T	3Ton	288-425mm	2	7.8/7	22.5x20.5x36cm
8FK6T	6Ton	395-605mm	2	14.2/13.2	31x26.5x46cm

Engine crane

Item No.	Capacity	↑ min. ↓ max.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFV1000	1Ton	25-2000mm	1	75/71	163x39x20cm

Engine crane

Item No.	Capacity	↑ min. ↓ max.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFV2000	2Ton	25-2300mm	1	102.2/98.7	80x66x25cm

Hydraulic body repair kit

Item No.	Capacity	↑ min. ↓ max.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFDT4T	4Ton	330-450mm	1	20/17	58x17.5x36.5cm

Hydraulic body repair kit

Item No.	Capacity	↑ min. ↓ max.	Box/Ctn (sets)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFDT10T	10Ton	470-620mm	1	36/31	81.5x43x16.5cm

Transmission jack

Item No.	Capacity	↑ min. ↓ max.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFK500	0.5Ton	1135-1950mm	1	32/28	110x22x28cm

**Steel car creeper**

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFYT95	36"	1	7.6/5.6	93.5x45x11cm

Steel car creeper

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
BFYT110	40"	1	8.2/7.2	104x44x12.5cm

Hand pump

Item No.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
SFEP1	10	10/9	63x36x34cm

Foot pump

Item No.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
SFAP1	20	23/22	43x31.5x39cm

Hand pump

Item No.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
SFEP2	10	15/14	62x33x20cm

Foot pump

Item No.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
SFAP2	10	18/17	43.5x30x32cm

Hand pump

Item No.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
SFEP3	10	10/9	62x31x20cm

**Air spray gun**

Air pressure:3.0-5.0bar(45-80psi)
Air Inlet:G 1/4"
Air consumption:4.5-8.0cfm
Capacity of cup:Aluminum 600ml
Feed type:gravity
Fluid nozzle:1.8mm



Item No.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
SFBTE70	20	17.4/16.4	58x31.5x42.5cm

Air spray gun

Air pressure:3.0-5.0bar(45-80psi)
Air Inlet:G 1/4"
Air consumption:4.5-8.0cfm
Capacity of cup:Aluminum 1000ml
Feed type:suction
Fluid nozzle:1.8mm



Item No.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
SFBTG70	10	11.3/10.3	58x36.5x30cm

Air spray gun

Air pressure:3.5-5.0bar(50-80psi)
Air Inlet:G 1/4"
Air consumption:7.0-12cfm
Capacity of cup:Aluminum 1000ml
Feed type:suction
Fluid nozzle:1.7mm



Item No.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
SFBT401	10	11/10	57x38x32cm

H.V.L.P air spray gun

Air pressure:3.0-4.0bar(45-60psi)
Air Inlet:G 1/4"
Air consumption:6.0-11cfm
Capacity of cup:Aluminum 1000ml
Feed type:suction
Fluid nozzle:1.7mm



Item No.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
SFBT17	10	9.5/8.5	57x37x31cm

5 PCS Air tools kit

1PC Suction spray gun
1PC Orange washing gun
1PC inflating gun
1PC Air dust gun
1PC Air PE hose(5M)



Item No.	Box/Ctn (sets)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
SFB05	10	20/19	58x38x45cm

Grease gun

Pressure range:air supplied Input 60-150 psi/output 2400-6000psi
Working pressure:recommend air supplied Input 90psi/output 3600psi
Loading way:14 oz.cartridge/400c.c. bulk/dispenser
Capacity:14oz./400c.c.
Standard Accessory:metallic bend spout and 12" nylon hose



Item No.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³) LxWxH
SF90201	10	18/15.95	39x36x35.5cm

Gaulking gun

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8M0053	9"	12/24	9/8	46x44x18cm

Tool box

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FTC03420	420x200x160mm	6	14/13	45x43.5x54cm

Gaulking gun

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8M0054	9"	12/24	13/12	48x48x19cm

Tool box

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FTC05420	420x200x200mm	4	14/12	45x43.5x50cm
8FTC05530	530x200x200mm	4	21/19.5	56x44x49cm

Gaulking gun

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8M0055	15"/600ml	12	10/9.5	52.5x36.5x23.5cm



Measuring tape



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FMT316	3m x 16mm	12/120	16/15	34.5x21.5x27cm
8FMT519	5m x 19mm	12/120	21/20	37.5x23x32.5cm
8FMT525	5m x 25mm	12/60	14/13	39x23x19cm
8FMT825	8m x 25mm	12/60	24/23	42x26.5x19.5cm
8FMT1025	10m x 25mm	12/48	22/21	38x30x19.5cm

Fiberglass tape



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBM20A	13mm x 20m	20	15/14	48x34x42.5cm
8FBM30A	13mm x 30m	20	19.5/18.5	48x34x42.5cm
8FBM50B	13mm x 50m	20	17/16	49x37x49.5cm

Measuring tape



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8F316B	3m x 16mm	12/120	16/15	38x30.5x25.5cm
8F519B	5m x 19mm	12/72	18/17	37x26.5x29.5cm
8F525B	5m x 25mm	12/72	20/19	40.5x26x29.5cm

Fiberglass tape



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FBM20	15mm x 20m	20	13/12	54.5x30.5x40cm
8FBM30	15mm x 30m	20	15/14	54.5x30.5x40cm
8FBM50	15mm x 50m	20	22.5/21.5	55x37x48cm

Measuring tape



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FM316C	3m x 16mm	12/120	13/12	36.5x31.5x21.5cm
8FM519C	5m x 19mm	12/120	24/23	41.5x35.5x25cm
8FM525C	5m x 25mm	12/72	18/17	40.5x26x26cm



Clamp meter

3 1/2 digits LCD, Max reading of 1999
Voltage DC:1000V
Voltage AC:750V
Current AC:20/200/1000A
Resistance:2kΩ/200kΩ
Diode Check:about 3.0V/1mA
Power source:9V battery (6F22)
Dimensions:99x250x436 mm
Weight:400g (with battery)
Accessories: Battery; Users Manual
CAT II, CE



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FOL750	18	13/12	51.7x29.2x27.8cm

Door closer

The max width of door is 600-1200mm, suitable for the door weight of 45-85kg
The adjustable section of closing speed is 180°- 20°
The adjustable section of locking is 20°- 0°
The painting plastic moving arm can protect from eroding, the excellent closing can protect from oil leakage
Super aluminum alloy casting machine and the three layers of brightness painting will protect it from oxygenation
Two hydraulic pressure valves control two sections of door closing separately, the speed of locking have been control by the whole section of hydraulic pressure
The high-carbon steel axis and rack work smart and less transfigure after being managed through high channel adjusting
With a function of stopping at anchor point of 90°and no anchor point of 180°
Distance:162x19mm



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FKH4565	10	13.6/12.6	40.5x26.5x16.3cm

Digital multimeter

3 1/2 digits LCD, Max reading of 1999
Voltage DC:200mV/2V/20V/600V
Voltage AC:200/600V
Current DC:200μA/200mA/20mA/200mA/10A
Resistance:200Ω/2kΩ/20kΩ/200kΩ/2MΩ
Diode Check: about 2.8V/1mA
Power source: 9V battery (6F22)
Dimensions: 70x137x31 mm
Weight: 170g (with battery)
Accessories: Test Lead; Battery; Users Manual
CAT II, CE



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FOL200	50	17.5/16.5	53.7x34.2x26.8cm

Door closer

The max width of door is 900-1300mm, suitable for the door weight of 65-85kg
The adjustable section of closing speed is 180°- 20°
The adjustable section of locking is 20°- 0°
The painting plastic moving arm can protect from eroding, the excellent closing can protect from oil leakage
Super aluminum alloy casting machine and the three layers of brightness painting will protect it from oxygenation
Two hydraulic pressure valves control two sections of door closing separately, the speed of locking have been control by the whole section of hydraulic pressure
The high-carbon steel axis and rack work smart and less transfigure after being managed through high channel adjusting
With a function of stopping at anchor point of 90°and no anchor point of 180°
Distance:168x19mm



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FKH6585	10	18/17	47x31x18cm

Nylon trimmer line

Hexagon



Item No.	Thickness	Length	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FM30035	3.5mm	36m	10/20	12.7/10.7	58x43x28cm

Nylon trimmer line

Round



Item No.	Thickness	Length	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FM10030	3.0mm	50m	10/20	12.7/10.7	58x43x28cm

Nylon trimmer line

Hexagon



Item No.	Thickness	Length	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FM30030	3.0mm	50m	10/20	12.7/10.7	58x43x28cm

Nylon trimmer line

Round



Item No.	Thickness	Length	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FM10033	3.3mm	41m	10/20	12.7/10.7	58x43x28cm

Nylon trimmer line

Hexagon



Item No.	Thickness	Length	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FM30033	3.3mm	41m	10/20	12.7/10.7	58x43x28cm



PTFE tape

Size:0.25g/cm²
12mm x 10m x 0.075mm



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FT2510	100/500	5.5/4.7	60x29.5x20cm

PTFE tape

Size:0.35g/cm²
12mm x 10m x 0.075mm



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FT3510	100/500	5.8/5	60x29.5x20cm

PTFE tape

Size:0.35g/cm²
19mm x 15m x 0.2mm



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FT3515	25/250	13.3/11.7	46x29x45cm

PTFE tape

Size:1.00g/cm²
12mm x 8m x 0.1mm



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FGT128	100/500	9.9/8.9	60x29.5x20cm

Double side foam tape



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FCB182	18mm x 2m	288	6.5/6	45x45x16.5cm
8FCB252	25mm x 2m	288	8/7	45x45x22cm
8FCB502	50mm x 2m	144	8/7	45x45x22cm

Double side foam tape



Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FCB1810	18mm x 10m	60	7/6	31x21x40.5cm
8FCB2510	25mm x 10m	60	7/6	31x21x40.5cm

Clothing tape

Item No.	Size	Color	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FCB4810A	48mm x 10m	black	48	7/6	31x21x40.5cm
8FCB4810B	48mm x 10m	gray	48	7/6	31x21x40.5cm
8FCB4810C	48mm x 10m	blue	48	7/6	31x21x40.5cm
8FCB4810D	48mm x 10m	red	48	7/6	31x21x40.5cm
8FCB4810E	48mm x 10m	yellow	48	7/6	31x21x40.5cm
8FCB4810F	48mm x 10m	green	48	7/6	31x21x40.5cm
8FCB4810G	48mm x 10m	white	48	7/6	31x21x40.5cm

Safety helmet

Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FGB01	40	17/16	62x44x53cm

Safety glasses

Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FIG01	50/100	6/5	54x36x34cm

Safety glasses

Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FIG03	50/100	5.5/4	52x36x28cm

PVC warning stick

Item No.	Size	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FYB5022	50mm x 22.86m	48	12/11.5	43x32.5x21.5cm

Safety glasses

Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FIG02	50/100	5/4	46x36x26cm

Mask

Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FGM01	20/400	6/5	64x30x31.5cm

Mask

Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FGM02	10/200	5/4	64x30x31.5cm

Mask

Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FGM03	50/1000	4.5/3.5	64x26.5x26.5cm

Dust mask

Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³) LxWxH
8FGM04	50/200	7/6	50x40x44cm

8-Pattern plastic spray gun


Item No.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
BF82000	48	9.1/8.1	50x43x36cm	

Adjustable plastic spray gun


Item No.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
BF82002	48	7.8/7	37.5x50x36cm	

8-Pattern plastic spray gun set with 1/2" hose connector


Item No.	Box/Ctn (sets)	G.W./N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
BF82001	48	10.5/9.5	56x49x36cm	

Adjustable plastic spray gun set with 1/2" hose connector


Item No.	Box/Ctn (sets)	G.W./N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
BF82003	48	9.3/8.3	49x44x36cm	

8-Pattern plastic spray gun set

1pc 1/2" hose connector
1pc 1/2" waterstop hose connector
1pc 1/2" & 3/4" tap adaptor



Item No.	Box/Ctn (sets)	G.W./N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
BF82005	48	12.8/11.8	56x50x36cm	

Adjustable plastic spray gun set with 1/2" hose connector


Item No.	Box/Ctn (sets)	G.W./N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
BF82220	48	7/6	47.5x39.5x33cm	

1/2" & 3/4" tap adaptor


Item No.	Box/Ctn (pcs)	G.W./N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
BF82160	240	6.2/5.7	42.5x37.5x29.5cm	

Adjustable plastic spray gun set

1pc 1/2" hose connector
1pc 1/2" waterstop hose connector
1pc 1/2" & 3/4" tap adaptor



Item No.	Box/Ctn (sets)	G.W./N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
BF82006	48	11.5/10.5	50x46x36cm	

Adjustable plastic spray gun set with 1/2" hose connector


Item No.	Box/Ctn (sets)	G.W./N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
BF90010	24	8.03/6.58	56x43.5x20cm	

Hose connector set

1pc 1/2" hose connector
1pc 1/2" waterstop hose connector
1pc 1/2" & 3/4" tap adaptor



Item No.	Box/Ctn (sets)	G.W./N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
BF90012	30/60	6.57/5.32	41.5x41x21.5cm	

Metal impulse sprinkler with zinc spike



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8F82009	48	16.2/15.5	59x38x27cm	

Plastic impulse sprinkler with spike



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8F82008	48	6.1/5.2	59x38x27cm	

Plastic impulse sprinkler with spike



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8F82600	12/48	5.18/3.82	61x38x37cm	

Plastic impulse sprinkler with zinc spike



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8F89752	12/48	8.6/7.3	61x36.5x36.5cm	

Hand sprayer

2 Lt



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8F8P02	15	6/5	65x40x33cm	

Hand sprayer

5 Lt



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8F8B05	6	7.7/5.5	56.5x38x45cm	

Hand sprayer

8 Lt



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8F8B08	6	8.9/6.5	56.5x38x55cm	

Hand sprayer

10 Lt



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8F8B10	6	10.5/8.5	64x43x55cm	

Single pump sprayer

16 Lt



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8F8B16A	1	3.8/3.1	39.5x18.5x57.5cm	

Battery sprayer

16 Lt



Item No.	Box/Ctn (pcs)	G.W/N.W (kgs)	Ctn Size(M ³)	
			LxWxH	
8F8B16B	1	7/6	40x21x53.5cm	

Nylon cable tie

Item No.	Size	Nylon bag (pcs)	Box/Ctn (bags)	G.W/N.W (Kgs)	Ctn Size (M ³) LxWxH
8FK2510	2.5x100mm	100	260	9/8	54x33x17cm
8FK2515	2.5x150mm	100	200	8/7	54x33x17cm
8FK2520	2.5x200mm	100	180	10/9	54x33x17cm
8FK3615	3.6x150mm	100	120	9/8	54x33x17cm
8FK3620	3.6x200mm	100	100	10/9	54x33x17cm
8FK3625	3.6x250mm	100	80	11/10	54x33x17cm
8FK3630	3.6x300mm	100	80	12/11	54x33x17cm
8FK4820	4.8x200mm	100	70	9/8	54x33x17cm
8FK4825	4.8x250mm	100	60	11/10	54x33x17cm
8FK4830	4.8x300mm	100	50	10/9	54x33x17cm
8FK4835	4.8x350mm	100	40	10/9	54x33x17cm
8FK4840	4.8x400mm	100	40	11/10	54x33x17cm
8FK7230	7.2x300mm	100	30	11/10	54x33x17cm
8FK7235	7.2x350mm	100	25	10/9	54x33x17cm
8FK7240	7.2x400mm	100	25	13/12	54x33x17cm
8FK8850	8.8x500mm	100	12	12/11	54x33x17cm
8FK8860	8.8x600mm	100	12	14/13	68x33x17cm



